

NOVA LUCE

Light Up Your Life

NOVA LUCE

info@novaluce.gr
www.novaluce.gr

2019
OUTDOOR





index



[P. 006]



[P. 034]



[P. 068]



[P. 080]














[P. 096]



[P. 102]

THINGS TO LOOK FOR





FLOOR & WALL



[AGOSTO]
9277151



Black Die-Casting
Aluminium & Acrylic
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
IP54
D: 11 H: 50 cm



[AGOSTO]
9207615



Black Die-Casting
Aluminium & Acrylic
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
IP54
D: 11 W: 11 cm



[AGOSTO]
9207616




Black Die-Casting
Aluminium & Acrylic
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
IP54
L: 11 W: 11 H: 11 cm





DEVORA
822642

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
CRI>80 220-240 Volt 50Hz
IP54
D: 11 H: 65 cm



DEVORA
826423

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
CRI>80 220-240 Volt 50Hz
IP54
D: 11 H: 22 cm





[SUITE]
859439

White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm

[SUITE]
9297191

Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm

[SUITE]
859438

Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



[SUITE]
9207167

Dark Gray Aluminium & Acrylic
LED 12 Watt 480 Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



[SUITE]
9207168

Black Aluminium & Acrylic
LED 12 Watt 480 Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm





[NED]
9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm



[NED]
9104021


Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 960Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm





[TWIN]
713121

Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation 0-90° IP54
L: 20 W: 10 H: 60 cm



[TWIN]
713122

Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation 0-90° IP54
L: 20 W: 10 H: 10 cm





[BLISS]
819503
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 7 Watt 560Lm
 CRI>80 220-240 Volt 50Hz
 Beam 56° IP54 3000K or 4000K
 AC Driver Included
 L: 15 W: 6 H: 50 cm



[BLISS]
819502
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 7 Watt 560Lm
 CRI>80 220-240 Volt 50Hz
 Beam 56° IP54 3000K or 4000K
 AC Driver Included
 L: 15 W: 6 H: 16 cm





[APOLLO]
713411

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam 120° IP54
L: 9 W: 15 H: 4.5 cm



[APOLLO]
713311

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300 Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam 120° IP54
L: 9 W: 15 H: 80 cm





[ACQUA]
713313

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 280Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam 38° IP54
L: 12 W: 5 H: 80 cm



[ACQUA]
713312

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 280Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam 38° IP54
L: 12 W: 18 H: 5 cm





[PARK]
711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 120° IP54
IC Driver Included
L: 9 W: 14.5 H: 18 cm



[PARK]
713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 700Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 120° IP54
IC Driver Included
L: 12.5 W: 22 H: 80 cm



[PARK]
713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 120° IP54
IC Driver Included
L: 12.5 W: 12 H: 80 cm





[LOCK]
813104

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 960Lm
CRI>80 220-240 Volt 50Hz
Beam 45° IP54 3000K or 4000K
AC Driver Included
L: 13.5 W: 13.5 H: 50 cm



[LOCK]
813101

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 960Lm
CRI>80 220-240 Volt 50Hz
Beam 45° IP54 3000K or 4000K
AC Driver Included
L: 13.5 W: 16 H: 20 cm





[STICK]
713412

Dark Gray Aluminium
White Acrylic
E27 1x16 Watt IP54
220-240 Volt 50Hz
L: 7.6 W: 11 H: 17 cm



[STICK]
71371102

Dark Gray Aluminium
White Acrylic
E27 1x16 Watt IP54
220-240 Volt 50Hz
L: 7.6 W: 7.6 H: 25 cm



[STICK]
71371101

Dark Gray Aluminium
White Acrylic
E27 1x16 Watt IP54
220-240 Volt 50Hz
L: 7.6 W: 7.6 H: 80 cm





ZEST
870026

Black Die-Casting Aluminium
Clear Glass
E27 1x60 Watt IP54
220-240 Volt 50Hz
L: 18 W: 17 H: 28 cm



ZEST
870045

Black Die-Casting Aluminium
Clear Glass
E27 1x60 Watt IP54
220-240 Volt 50Hz
L: 20 W: 20 H: 29 cm





ISIDORA
870426

Black Die-Casting Aluminium
Clear Glass
E27 1x18 Watt IP54
220-240 Volt 50Hz
D: 25 W: 27 H: 40 cm



ISIDORA
870445

Black Die-Casting Aluminium
Clear Glass
E27 1x18 Watt IP54
220-240 Volt 50Hz
D: 22 H: 95 cm





WALL



[ZARI]
9226217

Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



[ZARI]
9226215

Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



[ZARI]
9226216

Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



[ZARI]
9226214

Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions





[COMO]
726217

Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions



[COMO]
852436

Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions






[COMO]
747406

Sandy White Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



[COMO]
847406

Antique Brown Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



[COMO]
847408

Black Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



[COMO]
847407

Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle





Adjustable



[AGILE]
833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm



IP65

[VITORIA]
8401030


Dark Gray Aluminium
LED 6 Watt 300Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm





[GRAVITY]
810067

Dark Gray Die-Casting Aluminium
LED 12 Watt 660Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm



[PIER]
810066

Dark Gray Die-Casting Aluminium
LED 12 Watt 660Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm





[SOHO]
740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
L: 12 W: 3 H: 9 cm



[SOHO]
740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
L: 18.5 W: 3 H: 10 cm




[SOHO]
740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
L: 12 W: 3 H: 9 cm




[SOHO]
740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
L: 18.5 W: 3 H: 10 cm





IP65



[FUNGO]
9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 720Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 120° IP65



L: 22 W: 7.6 H: 3.2 cm
LED [certification icons]

[FUNGO]
9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 720Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 120° IP65



L: 22 W: 7.6 H: 3.2 cm
LED [certification icons]



[COMO]
741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x34° IP54



L: 15 W: 7 H: 11 cm
LED [certification icons]


[COMO]
741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x34° IP54



L: 15 W: 7 H: 11 cm
LED [certification icons]





**[FOCUS
752470]**


Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 44° IP54
L: 8.5 W: 14 H: 12 cm



**[FOCUS
9207912]**

Black Aluminium &
Glass Diffuser
GU10 1x35 Watt IP54
100-240 Volt 50Hz
D: 6 W: 11.5 H: 9.5 cm





IP65



[DROPLET]
9522101

Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



[DROPLET]
9522102

Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



[TUNE]
9529712

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 112° IP65
D: 15 W: 5.5 cm



[TUNE]
9529713

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 112° IP65
D: 15 W: 5.5 cm



[TUNE]
9529720

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 115° IP65
L: 15 W: 5.5 H: 15 cm



[TUNE]
9529721

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 115° IP65
L: 15 W: 5.5 H: 15 cm



IP65



[KEEN]
9160081

Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm



[KEEN]
9270015

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 108° IP65
L: 9 W: 7 H: 18 cm



[KEEN]
9270016

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 108° IP65
L: 9 W: 7 H: 18 cm



[KEEN]
9270027

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 108° IP65
L: 18 W: 9 H: 9 cm



[KEEN]
9270028

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 108° IP65
L: 18 W: 9 H: 9 cm





[NERO]
710022

Dark Gray Aluminium
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
D: 7 W: 8 H: 15 cm



[NERO]
710021

Dark Gray Aluminium
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 7 W: 8 H: 8 cm



[NERO]
710042

Dark Gray Aluminium
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
L: 6.7 W: 8 H: 15 cm



[NERO]
710041

Dark Gray Aluminium
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
L: 6.7 W: 8 H: 8 cm





[NERO]
910022

Aluminium White
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
D: 7 W: 8 H: 15 cm



[NERO]
910021

Aluminium White
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 7 W: 8 H: 8 cm



[NERO]
910042

Aluminium White
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
L: 6.7 W: 8 H: 15 cm



[NERO]
910041

Aluminium White
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
L: 6.7 W: 8 H: 8 cm





[NODUS]
773221

Dark Gray Aluminium
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 6.5 W: 10.4 H: 11 cm



[NODUS]
773223

Dark Gray Aluminium
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
D: 6.5 W: 10.4 H: 18 cm



[NODUS]
773222

Antique Brown Aluminium
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 6.5 W: 10.4 H: 11 cm



[NODUS]
773224

Antique Brown Aluminium
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
D: 6.5 W: 10.4 H: 18 cm



[NODUS]
713002

Satin Nickel Stainless Steel
& Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 6 W: 9 H: 11 cm



[NODUS]
713001

Satin Nickel Stainless Steel
& Glass Diffuser
GU10 2x35 Watt IP54
220-240 Volt 50Hz
D: 6 W: 9 H: 16 cm





[ZENITH]
713212

Dark Gray Aluminium
& White Acrylic
E27 1x16 Watt IP44
220-240 Volt 50Hz
L: 23 W: 9.5 H: 26.4 cm



[ZENITH]
713514

Dark Gray Aluminium
& White Acrylic
E27 1x16 Watt IP44
220-240 Volt 50Hz
L: 23 W: 9.5 H: 26.4 cm



[ZENITH]
713115

White Aluminium
White Acrylic
E27 1x16 Watt IP44
220-240 Volt 50Hz
L: 30.5 W: 9 H: 10.5 cm



[ZENITH]
713114

Antique Brown Aluminium
White Acrylic
E27 1x16 Watt IP44
220-240 Volt 50Hz
L: 30.5 W: 9 H: 10.5 cm



[ZENITH]
713113

Dark Gray Aluminium
White Acrylic
E27 1x16 Watt IP44
220-240 Volt 50Hz
L: 30.5 W: 9 H: 10.5 cm





[MOOD]
71615602


Gypsum White Marble Style
& Aluminium
G9 1x5 Watt IP54
220-240 Volt 50Hz
L: 13 W: 13 H: 13 cm



[MOOD]
71615603

Gypsum Black Marble Style
& Aluminium
G9 1x5 Watt IP54
220-240 Volt 50Hz
L: 13 W: 13 H: 13 cm





IP65



[CADMO]
9162141

Gray Concrete & Aluminium
Osram LED 1x6 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam 45° IP65
L: 10.9 W: 9.4 H: 12 cm




[CADMO]
9162121

Gray Concrete & Aluminium
Osram LED 1x7 Watt 310Lm
220-240 Volt 50Hz 3000K
Beam 45° IP65
L: 10.7 W: 8.4 H: 12 cm



[CADMO]
9162142

Gray Concrete & Aluminium
Osram LED 2x3 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam 45° IP65
L: 10.9 W: 9.4 H: 16 cm



[CADMO]
9162122

Gray Concrete & Aluminium
Osram LED 2x3 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam 45° IP65
L: 10.7 W: 8.4 H: 16 cm



[CADMO]
71615601

Concrete & Aluminium
G9 1x5 Watt IP54
220-240 Volt 50Hz
L: 13 W: 13 H: 13 cm



[CADMO]
71615801

Concrete & Aluminium
G9 1x5 Watt IP54
220-240 Volt 50Hz
L: 14 W: 14 H: 14 cm



IP65



[ZERINO]
9162204



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam 60° IP65
L: 14 W: 14 H: 14 cm



[ZERINO]
9161989



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam 60° IP65
L: 13 W: 13 H: 8 cm



[CADMO]
9162021



Gray Concrete & Aluminium
LED 1x7 Watt 310Lm 3000K
220-240 Volt 50Hz
Beam 60° IP65
L: 13 W: 13 H: 13 cm



[ZERINO]
9161947



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam 60° IP65
L: 18 W: 10.4 H: 8.8 cm



[ZERINO]
9161968



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam 60° IP65
L: 21 W: 10 H: 10 cm



[ZERINO]
9162164




Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam 60° IP65
L: 28 W: 13 H: 14 cm





CEILING



[FOCUS]
752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam 77° IP54
D: 10 H: 6.5 cm



[CECI]
9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



[CECI]
92200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



[CECI]
9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



[CECI]
92200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm





[CERISE]
9020021

Dark Gray Die-Casting
Aluminium & Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 6 H: 10.5 cm



[CERISE]
9040021

White Die-Casting
Aluminium & Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 6 H: 10.5 cm



[CERISE]
9020061

Dark Gray Die-Casting
Aluminium & Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 9 H: 9 cm



[CERISE]
9040061

White Die-Casting
Aluminium & Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
D: 9 H: 9 cm



[CERISE]
9020022

Dark Gray Die-Casting
Aluminium & Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
L: 8.6 W: 8.6 H: 9 cm



[CERISE]
9040022

White Die-Casting
Aluminium & Glass Diffuser
GU10 1x35 Watt IP54
220-240 Volt 50Hz
L: 8.6 W: 8.6 H: 9 cm





[SINTRA]
9168241

Gray Concrete
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 15 cm



[SINTRA]
9168242

Gray Concrete
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 13 W: 13 H: 15 cm





[TOMMY]
9521001

Dark Gray ABS & Acrylic Diffuser
LED 30 Watt 2400Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 85° IP54
AC Driver Included
D: 32 H: 6 cm



[TOMMY]
9521002

Dark Gray ABS & Acrylic Diffuser
LED 24 Watt 1920Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm



IP65



BLADE
9232116

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE
9232115

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE
9232119

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE
9232120

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 8.5 H: 5.4 cm



Rotating

BLADE
9232117

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 9 H: 4.7 cm



Rotating

BLADE
9232118

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 9 H: 4.7 cm





STEP LIGHTS



[KRYPTON]
710446

Dark Gray Aluminium & Glass
LED 6 Watt 480 Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 31° IP54
D: 16 W: 9.6 cm



[KRYPTON]
726408

Dark Gray Aluminium
LED 3 Watt 270 Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 15° IP54
L: 8.5 W: 5 H: 8.5 cm




[KRYPTON]
752250

Dark Gray Aluminium
LED 6 Watt 480 Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 32° IP54
L: 15 W: 7.5 H: 15 cm



IP65



[LUTON]
8403624

Dark Gray ABS
LED 1.2 Watt
90Lm 3000K IP65
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm



[LUTON]
8403622

Dark Gray ABS
LED 1.6 Watt
100Lm 3000K IP65
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



[LUTON]
8403626

Dark Gray ABS
LED 1.2 Watt
90Lm 3000K IP65
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm





[PULSAR]
812302



Dark Gray ABS
LED 4 Watt 320Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm



[PULSAR]
811201




Dark Gray ABS
LED 2 Watt 160Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm



[PULSAR]
812102



Dark Gray ABS
LED 4 Watt 320Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm



[PULSAR]
811502



Dark Gray ABS
LED 2 Watt 160Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm



[PULSAR]
811501



Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 320Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm



[PULSAR]
812104



Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm




[PULSAR]
812103



Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm





[KRYPTON]
726407

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



[KRYPTON]
727002

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




[KRYPTON]
727001

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm



[KRYPTON]
726402

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



[KRYPTON]
726401

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm





[KRYPTON]
726405

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



[KRYPTON]
726406

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



[KRYPTON]
726403

White Aluminium
LED 1.5 Watt 145Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



[KRYPTON]
726404

Dark Gray Aluminium
LED 1.5 Watt 145Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



IP54



[PASSAGGIO]
8090801

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
9045418

Black Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
9045514

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
8058001

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170




[PASSAGGIO]
9031616

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
9002601

White Aluminium
LED Chip Cree 2 Watt 80Lm
CRI>80 100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



**IP67
WATERPROOF**



**[BANG]
8038801**

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



**[BANG]
8038401**

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



**[BANG]
8039001**

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



**[DRIVER]
9020170**

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



**IP67
WATERPROOF**



[BANG]
9203113

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
CRI>80 100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



[BANG]
9203111

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
CRI>80 100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



[BANG]
9203112

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
CRI>80 100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



[BANG]
9019212

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[BANG]
9019213

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[DRIVER]
9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable





SPIKES

IP65



[INSIDE]
9010001

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 24° IP65
D: 4.5 W: 9 H: 21-26 cm



[INSIDE]
9010003

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 24° IP65
D: 4.2 W: 7 H: 21-24 cm



[INSIDE]
9010002

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 24° IP65
D: 6.5 W: 13 H: 24-31 cm



[INSIDE]
9010005

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 24° IP65
D: 6.5 W: 10 H: 24-28 cm



[BASE]
9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



[MINI]
9010004

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





GU10



[INSIDE]
767801

Dark Gray Aluminium & Glass
GU10 1x50 Watt
IP54
220-240 Volt 50Hz
D: 11 H: 20 cm



[INSIDE]
875409

Dark Gray Aluminium & Glass
GU10 1x50 Watt
IP54
220-240 Volt 50Hz
D: 7.5 W: 15 H: 36 cm

IP65



[NORTH]
9240677

Black Aluminium & Glass
LED 10 Watt 700Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 38° IP65
D: 9 W: 9.5 cm



[NORTH]
9240678

Black Aluminium & Glass
LED 20 Watt 1500Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 38° IP65
D: 12 W: 18 cm



[NORTH]
9240679

Black Aluminium & Glass
LED 30 Watt 2800Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 38° IP65
D: 15 W: 20.5 cm



[NORTH]
742071

Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 48° IP65
W: 19.5 L: 13 H: 20-29 cm





WALL WASHER


IP67
WATERPROOF

Rotation 30°



[WALL WASHER]
9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
CRI>80 DC24V Adjustable
Beam 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt




[CONTROLLER]
9011101


DMX CONTROLLER
Used to Control Max 1000 pcs



INSTALLATION



CONNECTION




**IP67
WATERPROOF**



**[WALL WASHER]
9011161**

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 36 Watt 3670Lm 3000K
CRI>80 DC24V Adjustable
Beam 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



**[WALL WASHER]
9011162**


Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 48 Watt 4700Lm 3000K
CRI>80 DC24V Adjustable
Beam 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




**[BRACKET]
9011163**

Brackets for 9011162
2pcs Included

INSTALLATION



CONNECTION




**ULTRA THIN
WATERPROOF
IP67**





Rotation 45°

**[WALL WASHER]
9011102**

Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
1200Lm 3000K
CRI>80 DC24V
Beam 30° IP67
L: 100 W: 2.5 H: 3.5 cm



INSTALLATION



**[ALP]
9010009**

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1200Lm
CRI>80 220-240 Volt 50Hz 3000K
Beam 7° IP67
D: 5.5 W: 7 H: 17 cm



**[ALP]
9010008**

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 600Lm
CRI>80 220-240 Volt 50Hz 3000K
Beam 7° IP67
D: 5.5 W: 7 H: 10 cm



INSTALLATION



**ULTRA NARROW
BEAM ANGLE 7°
IP67 WATERPROOF**

code	page	code	page	code	page	code	page
710021	54	773222	58	9010003	98	9207615	8
710022	54	773223	58	9010004	98	9207616	8
710041	54	773224	58	9010005	98	9207912	48
710042	54	810066	42	9010006	98	9220021	70
710446	82	810067	42	9010008	109	9220022	70
711024	24	811201	85	9010009	109	9226214	36
713001	58	811501	84	9011101	104	9226215	36
713002	58	811502	85	9011102	108	9226216	36
713113	60	812102	85	9011161	106	9226217	36
713114	60	812103	84	9011162	106	9232115	78
713115	60	812104	84	9011163	106	9232116	78
713121	16	812302	85	9011164	104	9232117	78
713122	16	813101	26	9019212	94	9232118	78
713123	24	813104	26	9019213	94	9232119	78
713124	24	819502	18	9020021	72	9232120	78
713212	61	819503	18	9020022	72	9240677	101
713311	20	822642	10	9020061	72	9240678	101
713312	22	826423	10	9020170	92	9240679	101
713313	22	833426	40	9027201	47	9270015	52
713411	20	847406	38	9027202	47	9270016	52
713412	28	847407	38	9031616	90	9270027	52
713514	61	847408	38	9040021	72	9270028	52
726217	36	852436	36	9040022	72	9277151	8
726401	87	859438	12	9040061	72	9297191	12
726402	87	859439	12	9045418	90	9521001	76
726403	89	870026	30	9045514	90	9521002	76
726404	89	870045	30	9104021	14	9522101	51
726405	88	870426	32	9104022	14	9522102	51
726406	88	870445	32	9160081	52	9529712	50
726407	86	875409	100	9161947	66	9529713	50
726408	82	910021	56	9161989	66	9529720	50
727001	86	910022	56	9162021	66	9529721	50
727002	86	910041	56	9162121	64	71371101	28
740401	44	910042	56	9162122	64	71371102	28
740402	44	8038401	92	9162141	64	71615601	65
740403	44	8038801	92	9162142	64	71615602	62
740404	44	8039001	92	9162204	66	71615603	62
741661	46	8058001	90	9168241	74	71615801	65
741662	46	8090801	90	9168242	74	9161968	66
742071	101	8401030	40	9200611	70	9162164	66
747406	38	8403622	83	9200612	70		
752250	82	8403624	83	9203111	94		
752462	70	8403626	83	9203112	94		
752470	48	9002601	90	9203113	94		
767801	100	9010001	98	9207167	13		
773221	58	9010002	98	9207168	13		

A

22 ACQUA
22 ACQUA
40 AGILE
8 AGOSTO
8 AGOSTO
8 AGOSTO
109 ALP
109 ALP
20 APOLLO
20 APOLLO

B

92 BANG
92 BANG
92 BANG
94 BANG
94 BANG
94 BANG
94 BANG
94 BANG
94 BANG
98 BASE
78 BLADE
78 BLADE
78 BLADE
78 BLADE
78 BLADE
78 BLADE
18 BLISS
18 BLISS
106 BRACKET

C

66 CADMO
64 CADMO
64 CADMO
64 CADMO
64 CADMO
65 CADMO
65 CADMO
70 CECI
70 CECI
70 CECI
70 CECI
72 CERISE
72 CERISE
72 CERISE
72 CERISE
36 COMO
46 COMO
46 COMO
38 COMO
38 COMO
38 COMO
36 COMO
104 CONTROLLER

D

10 DEVORA
10 DEVORA
92 DRIVER
51 DROPLET
51 DROPLET

F

70 FOCUS
48 FOCUS
48 FOCUS
47 FUNGO
47 FUNGO

G

42 GRAVITY

I

100 INSIDE
100 INSIDE
98 INSIDE
98 INSIDE
98 INSIDE
98 INSIDE
32 ISIDORA
32 ISIDORA

K

52 KEEN
52 KEEN
52 KEEN
52 KEEN
52 KEEN
82 KRYPTON
87 KRYPTON
87 KRYPTON
89 KRYPTON
89 KRYPTON
88 KRYPTON
88 KRYPTON
86 KRYPTON
82 KRYPTON
86 KRYPTON
86 KRYPTON
82 KRYPTON

L

26 LOCK
26 LOCK
83 LUTON
83 LUTON
83 LUTON

M

98 MINI
62 MOOD
62 MOOD

N

14 NED
14 NED
54 NERO
54 NERO
54 NERO
54 NERO
56 NERO
56 NERO
56 NERO
56 NERO
58 NODUS
58 NODUS
58 NODUS
58 NODUS
58 NODUS
58 NODUS
101 NORTH
101 NORTH
101 NORTH
101 NORTH

P

24 PARK
24 PARK
24 PARK
90 PASSAGGIO
90 PASSAGGIO
90 PASSAGGIO
90 PASSAGGIO
90 PASSAGGIO
90 PASSAGGIO
42 PIER
85 PULSAR
84 PULSAR
85 PULSAR
85 PULSAR
84 PULSAR
84 PULSAR
85 PULSAR

S

74 SINTRA
74 SINTRA
44 SOHO
44 SOHO
44 SOHO
44 SOHO
28 STICK
28 STICK
28 STICK
12 SUITE
12 SUITE
13 SUITE
13 SUITE
12 SUITE

T

76 TOMMY
76 TOMMY
50 TUNE
50 TUNE
50 TUNE
50 TUNE
50 TUNE
16 TWIN
16 TWIN

V

40 VITORIA

W

108 WALL WASHER
106 WALL WASHER
106 WALL WASHER
104 WALL WASHER RGB

Z

36 ZARI
36 ZARI
36 ZARI
36 ZARI
60 ZENITH
60 ZENITH
60 ZENITH
61 ZENITH
61 ZENITH
66 ZERINO
66 ZERINO
66 ZERINO
66 ZERINO
30 ZEST
30 ZEST