


NOVA LUCE
info@novaluce.com
www.novaluce.com

NOVA LUCE

20 | 21

| OUTDOOR
CATALOGUE





THINGS TO LOOK FOR






FLOOR & WALL

IP65




[SURF]
9176101



Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
CRI>80 200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm



[SURF]
9176102



Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
CRI>80 200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm





IP54





**[PAX
9756800]**

Black Aluminium
LED 9 Watt 715Lm 3000K
CRI>80 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 80 cm



**[PAX
9756500]**


Black Aluminium
LED 9 Watt 715Lm 3000K
CRI>80 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 50 cm





[BALI]
9922510

Dimmable




Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm 3000K
CRI>80 200-240 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



[BALI]
9922360


Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm 3000K
CRI>80 200-240 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm



IP65 PORTABLE





**[FIGI
9923500]**

Dimmable

Anthracite Die-Casting
Aluminium


LED 2 Watt 215Lm 3000K

CRI>80 200-240 Volt

Beam Angle 108° IP65

Touch Lamp / Battery / USB Wire

L: 14.5 W: 14.5 H: 50 cm



**[FIGI
9922350]**

Dimmable

Anthracite Die-Casting
Aluminium


LED 2 Watt 215Lm 3000K

CRI>80 200-240 Volt

Beam Angle 108° IP65

Touch Lamp / Battery / USB Wire

L: 14.5 W: 14.5 H: 35 cm



IP65

PORTABLE



USB
CHARGER






LOVETO
9120621

Dimmable


Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 16.2 H: 24 cm



LOVETO
9120622

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 14.5 H: 50 cm



IP65 PORTABLE 








**[DYN
9190101]**

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 110° IP65
Solar / Switch On/Off
L: 16 W: 11.5 H: 6 cm




IP65



**[BAY
9120711]**

Dimmable

Anthracite Die-Casting Aluminium
Clear Glass & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 87° IP65
Solar / Switch On/Off
L: 12.6 W: 8.3 H: 25.2 cm





[AGOSTO]
9207615

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 W: 11 cm



[AGOSTO]
9207616

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 120° IP54
L: 11 W: 11 H: 11 cm



[AGOSTO]
9277151

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 H: 50 cm



IP54





[MAX]
9026001



Dark Gray ABS &
Clear & White Acrylic
LED 12 Watt 630Lm
3000K 200-240 Volt
Beam Angle 120° IP65
L: 16 W: 10 H: 16 cm



[MAX]
9026002



Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 630Lm
3000K 200-240 Volt
Beam Angle 120° IP65
D: 16 W: 10 H: 16 cm




IP65






[RAMO]
9291701



Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 20 H: 14.6 cm




[RAMO]
9291702



Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 14.6 H: 60 cm



IP65




[RAMO]
9291703



Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 21 H: 60 cm




IP54




[FOCUS]
9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm




[FOCUS]
9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm




[FOCUS]
9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm





[DEVORA]
822642



Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
CRI>80 220-240 Volt 50Hz
IP54
D: 11 H: 65 cm




[DEVORA]
826423



Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
CRI>80 220-240 Volt 50Hz
IP54
D: 11 H: 22 cm



IP54






IP54




[SUITE]
859439

White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm





[SUITE]
9297191

Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




[SUITE]
859438

Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




[SUITE]
9207167

Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



[SUITE]
9207168

Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



IP54





IP65



Rotating & Adjustable



[FEND]
9271431

Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



Rotating & Adjustable



[FEND]
9271491

Black Aluminium & Glass
LED 10 Watt 742Lm 3000K
CRI>80 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm



Rotating & Adjustable



[FEND]
9271433

Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm



Rotating & Adjustable



[FEND]
9971451

Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm




Rotating & Adjustable



[FEND]
9971452

Black Aluminium & Glass
LED 10 Watt 742Lm 3000K
CRI>80 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm



IP65




[POSEN]
9131201

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 744Lm 3000K
CRI>80 200-240 Volt
Beam Angle 113° IP65
L: 18 W: 19 H: 5 cm



[POSEN]
9131202

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 744Lm 3000K
CRI>80 200-240 Volt
Beam Angle 113° IP65
L: 18 W: 19 H: 65 cm





IP54




[ENZI]
9936101



Dark Gray Aluminium
Acrylic Diffuser
LED 17 Watt 1050Lm 3000K
CRI>80 100-240 Volt
Beam Angle 180° IP54
D: 18 W: 18 H: 7 cm



[ENZI]
9936102




Dark Gray Aluminium
Acrylic Diffuser
LED 17 Watt 1050Lm 3000K
CRI>80 100-240 Volt
Beam Angle 180° IP54
D: 18 W: 18 H: 80 cm





IP54



[NED]
9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm



[NED]
9104021

Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 960Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm




IP54




Rotating

[VOLVER]
9195062

Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm



Rotating



[VOLVER]
9195061

Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm







Rotating

[TWIN]
713121


Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation 0-90° IP54
L: 20 W: 10 H: 60 cm



Rotating

[TWIN]
713122

Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation 0-90° IP54
L: 20 W: 10 H: 10 cm



IP54




IP54




[BLISS]
819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
CRI>80 220-240 Volt 50Hz
Beam Angle 56° IP54 3000K
AC Driver Included
L: 15 W: 6 H: 16 cm



[BLISS]
819503


Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
CRI>80 220-240 Volt 50Hz
Beam Angle 56° IP54 3000K
AC Driver Included
L: 15 W: 6 H: 50 cm






[APOLLO]
713411

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm




[APOLLO]
713311

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300 Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm



IP54







IP54



[ACQUA]
713313

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm



[ACQUA]
713312

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm






[PARK]
711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 9 W: 14.5 H: 18 cm



[PARK]
713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 700Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 12.5 W: 22 H: 80 cm




IP54



[PARK]
713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 12.5 W: 12 H: 80 cm





[LOCK]
813104

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 960Lm
CRI>80 220-240 Volt 50Hz
Beam 45° IP54 3000K or 4000K
AC Driver Included
L: 13.5 W: 13.5 H: 50 cm



[LOCK]
813101

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 960Lm
CRI>80 220-240 Volt 50Hz
Beam 45° IP54 3000K or 4000K
AC Driver Included
L: 13.5 W: 16 H: 20 cm



IP54




IP65





**[ROCK
9905025]**

Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



**[ROCK
9905024]**

Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm




IP65



[NOTEN]
9905023

Sandy Black Aluminium
 Clear & White Acrylic
 LED 10 Watt 780Lm 3000K
 CRI>80 220-240 Volt
 Beam Angle 120° IP65
 D: 9 H: 20 cm


LED IP65 WARM WHITE A++-A



[NOTEN]
9905022

Sandy Black Aluminium
 Clear & White Acrylic
 LED 10 Watt 780Lm 3000K
 CRI>80 220-240 Volt
 Beam Angle 120° IP65
 D: 9 H: 40 cm


LED IP65 WARM WHITE A++-A



[NOTEN]
9905021

Sandy Black Aluminium
 Clear & White Acrylic
 LED 10 Watt 780Lm 3000K
 CRI>80 220-240 Volt
 Beam Angle 120° IP65
 D: 9 H: 80 cm

LED IP65 WARM WHITE A++-A






[PYRO]
9209211

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



[PYRO]
9209212

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm



IP54






**[STICK
713412]**



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 11 H: 17 cm



**[STICK
71371102]**



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm



**[STICK
71371101]**



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm






IP65




[LÖEVE]
9193101

Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm



[LÖEVE]
9193102

Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm






[SORREN]
9197701

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 8.6 W: 9 H: 25.8 cm



[SORREN]
9197702

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 22 W: 8.7 H: 22 cm




IP65






ZEST
870026

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 18 W: 17 H: 28 cm



ZEST
870045

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 20 W: 20 H: 29 cm



IP54





IP54



[ISIDORA]
870426

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 25 W: 27 H: 40 cm




[ISIDORA]
870445


Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 22 H: 95 cm








[CASTRO]
9762161



Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm




[CASTRO]
9762162



White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm




[CASTRO]
9739351



Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm



[CASTRO]
9739352



White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm




IP65





[GRANTE]
9790021

Gray Concrete & Aluminium
LED 1x5 Watt 365Lm 3000K
220-240 Volt 50Hz IP65
L: 12 W: 12 H: 53 cm



[GRANTE]
9790022

Gray Concrete & Aluminium
LED GU10 2x10 Watt IP65
100-240 Volt Bulb Excluded
L: 20 W: 12 H: 60 cm



IP65





**[FOX
9470582]**

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
D: 14 H: 16 cm



**[FOX
9470581]**

Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
D: 14 H: 16 cm



IP65





WALL



IP54



IP65



IP54



[VEIRO]
9104835

Anthracite Die-Casting Aluminium & Clear Glass
LED 6 Watt 440Lm 3000K
CRI>80 200-240 Volt
Light Up & Down
Beam Angle 40° IP65
L: 9 W: 9.3 H: 20.5 cm



[MILEY]
9202262

Sandy Black Aluminium Clear Glass
LED 6 Watt 397Lm 3000K IP54
CRI>80 200-240 Volt
Light Up & Down
L: 7.4 W: 7.4 H: 13.6 cm



[MILEY]
9202261

Sandy White Aluminium & Glass
LED 6 Watt 397Lm 3000K
CRI>80 200-240 Volt IP54
Light Up & Down
L: 7.4 W: 7.4 H: 13.6 cm



[MILEY]
9202131

Sandy White Aluminium & Glass
LED 3 Watt 304Lm 3000K
CRI>80 200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm



IP54

Adjustable



[AGILE]
833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm




Rotating





[BRIN]
9160101

Anthracite Die-Casting Aluminium
Clear Glass
LED 10 Watt 298Lm 3000K
CRI>80 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm



IP65



Rotating



[GRAVITY]
810067

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12 Watt 660Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation IP54

D: 14 W: 4.8 H: 14 cm





Rotating



[PIER]
810066

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12 Watt 660Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation IP54

L: 14 W: 4.8 H: 14 cm




IP54





IP54



Adjustable Beam Angle



[COMO]
747406

Sandy White Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



[COMO]
847406

Antique Brown Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



[COMO]
847408

Black Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



[COMO]
847407

Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm





**[ZARI
9226217]**

Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



**[ZARI
9226216]**

Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



IP54



**[ZARI
9226215]**


Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



**[ZARI
9226214]**

Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions





IP54



[COMO]
726217


Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions



[COMO]
852436


Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions





[FOCUS]
752470


Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 44° IP54
L: 8.5 W: 14 H: 12 cm




IP65

[VITORIA]
8401030

Dark Gray Aluminium
LED 6 Watt 300Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm



IP54






IP54




[CHEZ]
9259361

White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° IP54
Light Up & Down
L: 13 W: 9 H: 7 cm



[CHEZ]
9292211

White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° IP54
Light Up & Down
L: 17 H: 8.5 H: 14 cm






IP54




[SOHO]
740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm




[SOHO]
740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm





[SOHO]
740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



[SOHO]
740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm




IP54




[MILE]
9257871

White Aluminium & Glass
LED 9 Watt 475Lm 3000K
CRI>80 100-240 Volt
Beam Angle 155° IP54
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm



[MILE]
9262111

White Aluminium & Glass
LED 2x5 Watt 550Lm 3000K
CRI>80 100-240 Volt
Beam Angle 102° IP54
Light Up & Down
L: 18 W: 3.5 H: 9 cm






IP54




[COMO]
741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




[COMO]
741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm





[FUNGO]
9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 720Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm



[FUNGO]
9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 720Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm




IP65




**[DARF
9925666]**

Sandy Black Aluminium
ABS Diffuser
LED 2x5 Watt 840Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 115° IP65
Light Up & Down
D: 9.5 W: 10.5 H: 13 cm




**[DARF
9925665]**

Sandy Black Aluminium
ABS Diffuser
LED 5 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 104° IP65
Light Down
D: 9.5 W: 10.5 H: 8.5 cm




**[NUS
9200201]**

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 4 Watt 240Lm 3000K
CRI>80 100-240 Volt
Beam Angle 120° IP54
Light Down
L: 13.2 W: 9 H: 6.9 cm



**[NUS
9200202]**

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 2x4 Watt 480Lm 3000K
CRI>80 100-240 Volt
Beam Angle 120° IP54
Light Up & Down
L: 13.2 W: 9 H: 7.8 cm





IP54



[NERO]
710022

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm

BULB EXCL. IP54 AAA-A LED



[NERO]
710021

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm

BULB EXCL. IP54 AAA-A LED



[NERO]
710042

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm

BULB EXCL. IP54 AAA-A LED



[NERO]
710041

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm

BULB EXCL. IP54 AAA-A LED



IP54



**[NERO
910022]**

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm



**[NERO
910021]**

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm



**[NERO
910042]**

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm



**[NERO
910041]**

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm





IP54



[NODUS]
773221



10.4
6.5

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down

D: 6.5 W: 10.4 H: 11 cm



[NODUS]
773223

10.4
6.5

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down

D: 6.5 W: 10.4 H: 18 cm



[NODUS]
773222



10.4
6.5

Antique Brown Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down

D: 6.5 W: 10.4 H: 11 cm



[NODUS]
773224

10.4
6.5

Antique Brown Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down

D: 6.5 W: 10.4 H: 18 cm




IP44





[LIMBIO]
9010601

White ABS
Glass Diffuser
LED GU10 1x7 Watt IP44
Bulb Excluded
Light Down
D: 6 W: 8.5 H: 12 cm



[LIMBIO]
9010602

Black ABS
Glass Diffuser
LED GU10 1x7 Watt IP44
Bulb Excluded
Light Down
D: 6 W: 8.5 H: 12 cm




IP44




[LIMBIO]
9010622

Black ABS
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



[LIMBIO]
9010621


White Acrylic
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



IP65




**[KEEN
9160081]**



Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm



**[LUPO
9926617]**




Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm






[KEEN]
9270027

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm




[KEEN]
9270028

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm



IP65



IP65




[KEEN]
9270015

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm



[KEEN]
9270016

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm





IP65



[DROPLET]
9522101



Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



[DROPLET]
9522102



Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



[TUNE]
9529712



Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



[TUNE]
9529713



Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



[TUNE]
9529720



Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



[TUNE]
9529721



Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



IP65




IP44




[ZENITH]
713212

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm




[ZENITH]
713514

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm




[ZENITH]
713115

White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm




[ZENITH]
713114

Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



[ZENITH]
713113

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm




IP44

IP65



[FUENTO]
9790541

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down




L: 8.6 W: 10 H: 12 cm



[FUENTO]
9790542

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down




L: 8.6 W: 10 H: 12 cm



[FUENTO]
9790551

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down




L: 8.6 W: 10 H: 18 cm



[FUENTO]
9790552

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down



L: 8.6 W: 10 H: 18 cm





[LIDO]
9790531

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



[LIDO]
9790532

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



[LIDO]
9790521

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



[LIDO]
9790522

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



IP65







IP54



[CADMO]
71615601

Concrete & Aluminium
LED G9 1x5 Watt
220-240 Volt IP54
Light Up & Down
L: 13 W: 13 H: 13 cm

LED EXCL. IP54 A++-A



IP65



[CADMO]
9162141

Gray Concrete & Aluminium
Osram LED 1x6 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Down
L: 10.9 W: 9.4 H: 12 cm

LED IP65 WARM WHITE A++-A DRIVER INCL.



[CADMO]
9162121

Gray Concrete & Aluminium
Osram LED 1x7 Watt 310Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Down
L: 10.7 W: 8.4 H: 12 cm

LED IP65 WARM WHITE A++-A DRIVER INCL.



[CADMO]
9162142

Gray Concrete & Aluminium
Osram LED 2x3 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Up & Down
L: 10.9 W: 9.4 H: 16 cm

LED IP65 WARM WHITE A++-A DRIVER INCL.



[CADMO]
9162122


Gray Concrete & Aluminium
Osram LED 2x3 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Up & Down
L: 10.7 W: 8.4 H: 16 cm

LED IP65 WARM WHITE A++-A DRIVER INCL.




[ZERINO]
9162204

Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 14 W: 14 H: 14 cm



[ZERINO]
9161989

Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 13 W: 13 H: 8 cm




[CADMO]
9162021

Gray Concrete & Aluminium
LED 1x7 Watt 310Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 13 W: 13 H: 13 cm




[ZERINO]
9161947

Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 18 W: 10.4 H: 8.8 cm




[ZERINO]
9161968

Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 21 W: 10 H: 10 cm



[ZERINO]
9162164

Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 28 W: 13 H: 14 cm





CEILING



[FOCUS]
752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



[CECI]
9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



[CECI]
9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



[CECI]
9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



[CECI]
9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



[CERISE]
9020021

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



[CERISE]
9040021

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



[CERISE]
9020061

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



[CERISE]
9040061

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



[CERISE]
9020022

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm



[CERISE]
9040022


White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm






[OLIVER]
9944603

Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



[OLIVER]
9944602

Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP65





IP54



[TOMMY]
9521001

Dark Gray ABS & Acrylic Diffuser
LED 30 Watt 2400Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm



[TOMMY]
9521002

Dark Gray ABS & Acrylic Diffuser
LED 24 Watt 1920Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm









BLADE
9232116

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE
9232115

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE
9232119

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE
9232120

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 8.5 H: 5.4 cm



Rotating

BLADE
9232117


White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 9 H: 4.7 cm



Rotating

BLADE
9232118

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° IP65
D: 9 H: 4.7 cm



IP65





STEP LIGHTS

IP54



[LIV
9018061]

White Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 150Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm



[LIV
9018062]

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 150Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm





[KRYPTON]
710446

Dark Gray Aluminium & Glass
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm



[KRYPTON]
726408

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm




[KRYPTON]
752250

Dark Gray Aluminium
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm




IP65




[LUTON]
8403624

Dark Gray ABS
LED 1.2 Watt
90Lm 3000K IP65
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm




[LUTON]
8403622

Dark Gray ABS
LED 1.6 Watt
100Lm 3000K IP65
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



[LUTON]
8403626

Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm



IP54




IP54





[PULSAR]
812302

Dark Gray ABS
LED 4 Watt 320Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm




[PULSAR]
811201

Dark Gray ABS
LED 2 Watt 160Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm




[PULSAR]
812102

Dark Gray ABS
LED 4 Watt 320Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm



[PULSAR]
811502

Dark Gray ABS
LED 2 Watt 160Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




IP54



[PULSAR]
811501

Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 320Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




[PULSAR]
812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



[PULSAR]
812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



IP54



[JOYA]
9944141

Sandy Black Aluminium
LED 3 Watt 48Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm




[JOYA]
9944142

Sandy Black Aluminium
LED 3 Watt 54Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 19° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



[COVE]
9083011

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 105Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm





IP54



[COVE]
9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 105Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm





[KRYPTON]
726407

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



[KRYPTON]
727002

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm



[KRYPTON]
727001

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




IP54

IP54




[KRYPTON]
726402

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



[KRYPTON]
726401


Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm






[KRYPTON]
726405

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



[KRYPTON]
726406

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




IP54

IP54




[KRYPTON]
726403

White Aluminium
LED 1.5 Watt 145Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



[KRYPTON]
726404

Dark Gray Aluminium
LED 1.5 Watt 145Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm





[PASSAGGIO]
8090801

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
9045418

Black Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
9045514

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
8058001

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170



[PASSAGGIO]
9031616

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170




[PASSAGGIO]
9002601

White Aluminium
LED Chip Cree 2 Watt 80Lm
CRI>80 100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54





**[BANG
8038801]**

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



**[BANG
8038401]**

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



**[BANG
8039001]**

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



**[DRIVER
9020170]**

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

IP67 WATERPROOF





[BANG]
9203113

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
CRI>80 100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



[BANG]
9203111

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
CRI>80 100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



[BANG]
9203112

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
CRI>80 100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



[BANG]
9019212

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[BANG]
9019213

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



[DRIVER]
9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

IP67 WATERPROOF





PORTABLE


IP20 PORTABLE 



[COLT 9223400]

Dimmable


Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP44
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



[COLT 9223401]

Dimmable


Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP44
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



[COLT 9121912]

Dimmable


Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP44
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



[COLT 9121911]

Dimmable

Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP44
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm





Play
Our
Music




Connect your phone, tablet or computer to the magnificently sounding of Jam, Ray and Maya families which are compatible with a Bluetooth Speaker that truly has to be heard to be believed, with stereo sound that will awaken your musical soul with its stunning quality and audio.



IP20 PORTABLE / MUSIC 




USB CHARGER




[MAYA]
9180322

Dimmable
Gray & White ABS & Iron
Silicone Rubber
LED 1.5 Watt 30Lm 3000K
Battery / USB Wire IP20
D: 7.7 H: 15-23 cm




[MAYA]
9180321

Dimmable
Black & White ABS & Iron
Silicone Rubber
LED 1.5 Watt 30Lm 3000K
Battery / USB Wire IP20
D: 7.7 H: 15-23 cm




[RAY]
9180372

Dimmable
White ABS & Iron
Silicone Rubber
LED 2.5 Watt 40Lm 3000K
Battery / USB Wire IP20
D: 9.3 H: 16.5-23 cm




[RAY]
9180371

Dimmable
Black & White ABS & Iron
Silicone Rubber
LED 2.5 Watt 40Lm 3000K
Battery / USB Wire IP20
D: 9.3 H: 16.5-23 cm



[JAM]
9180391

Dimmable
Black Iron & Clear ABS
LED 5 Watt 10Lm 3000K
Battery / USB Wire IP20
D: 11 H: 19.5 - 24 cm





SPIKES



Rotating & Adjustable

[STAKE]
9271432



Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 21.2° IP65
D: 5 W: 9 H: 33 cm



Rotating & Adjustable

[STAKE]
9271492




Black Aluminium & Glass
LED 10 Watt 742Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 24.6° IP65
D: 6.5 W: 11 H: 35 cm



Rotating & Adjustable

[STAKE]
9971455



Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 21.2° IP65
D: 5 W: 7 H: 45 cm



IP65





Adjustable

[INSIDE]
9010001


Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



Adjustable

[INSIDE]
9010003

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



Adjustable

[INSIDE]
9010002

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-28 cm



Adjustable

[INSIDE]
9010005

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65



[BASE]
9010006


Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



Adjustable

[MINI]
9010004

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54 GU10

Adjustable



[INSIDE]
767801

Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
IP54
220-240 Volt Bulb Excluded
D: 11 H: 20 cm




Adjustable



[INSIDE]
875409

Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
IP54
220-240 Volt Bulb Excluded
D: 7.5 W: 15 H: 36 cm




Adjustable



[NORTH]
9240677

Black Aluminium & Glass
LED 10 Watt 700Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 9 W: 9.5 cm




Adjustable



[NORTH]
9240678

Black Aluminium & Glass
LED 20 Watt 1500Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 12 W: 18 cm




Adjustable



[NORTH]
9240679

Black Aluminium & Glass
LED 30 Watt 2800Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 15 W: 20.5 cm




Adjustable



[NORTH]
742071

Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 48° IP65
W: 19.5 L: 13 H: 20-29 cm




IP65






WALL WASHER



[WALL WASHER]
9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
CRI>80 DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt




[CONTROLLER]
9011101

DMX CONTROLLER
Used to Control Max 1000 pcs


RGB



INSTALLATION



CONNECTION



IP67 WATERPROOF




Rotation 30°



[WALL WASHER]
9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 36 Watt 3670Lm 3000K
CRI>80 DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



[WALL WASHER]
9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 48 Watt 4700Lm 3000K
CRI>80 DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



[BRACKET]
9011163


Brackets for 9011162
2pcs Included



INSTALLATION



CONNECTION



IP67 WATERPROOF







Rotation 45°

[WALL WASHER]
9011102


Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
1200Lm 3000K
CRI>80 DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm



INSTALLATION



IP67 WATERPROOF / ULTRA THIN



IP67 WATERPROOF / ULTRA THIN / 7°



[ALP]
9010009

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1200Lm
CRI>80 220-240 Volt 50Hz 3000K
Beam Angle 7° IP67
D: 5.5 W: 7 H: 17 cm



[ALP]
9010008

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 600Lm
CRI>80 220-240 Volt 50Hz 3000K
Beam Angle 7° IP67
D: 5.5 W: 7 H: 10 cm



INSTALLATION



**ULTRA NARROW
BEAM ANGLE 7°
IP67 WATERPROOF**

code	page	code	page	code	page	code	page	code	page	code	page
710021	108	773224	112	9010005	178	9160101	86	9226214	92	9756800	10
710022	108	810066	88	9010006	178	9161947	130	9226215	92	9762161	76
710041	108	810067	88	9010008	189	9161968	130	9226216	92	9762162	76
710042	108	811201	153	9010009	189	9161989	130	9226217	92	9790021	78
710446	150	811501	152	9010601	114	9162021	130	9232115	144	9790022	78
711024	52	811502	153	9010602	114	9162121	129	9232116	144	9790521	126
713113	122	812102	153	9010621	115	9162122	129	9232117	144	9790522	126
713114	122	812103	152	9010622	115	9162141	129	9232118	144	9790531	126
713115	122	812104	152	9011101	184	9162142	129	9232119	144	9790532	126
713121	44	812302	153	9011102	188	9162164	130	9232120	144	9790541	124
713122	44	813101	54	9011161	186	9162204	130	9240677	181	9790542	124
713123	52	813104	54	9011162	186	9176101	8	9240678	181	9790551	124
713124	52	819502	46	9011163	186	9176102	8	9240679	181	9790552	124
713212	123	819503	46	9011164	184	9180321	172	9257871	102	9905021	58
713311	48	822642	28	9018061	148	9180322	172	9259361	98	9905022	58
713312	50	826423	28	9018062	148	9180371	172	9262111	102	9905023	58
713313	50	833426	86	9019212	164	9180372	172	9270015	119	9905024	56
713411	48	847406	90	9019213	164	9180391	172	9270016	119	9905025	56
713412	62	847407	90	9020021	136	9190101	18	9270027	118	9922350	14
713514	123	847408	90	9020022	136	9193101	66	9270028	118	9922360	12
726217	94	852436	94	9020061	136	9193102	66	9271431	34	9922510	12
726401	157	859438	30	9020170	162	9195061	42	9271432	176	9923500	14
726402	157	859439	30	9020170	164	9195062	42	9271433	34	9925665	106
726403	159	870026	70	9026001	22	9197701	68	9271491	34	9925666	106
726404	159	870045	70	9026002	22	9197702	68	9271492	176	9926617	116
726405	158	870426	72	9027201	105	9200201	107	9277151	21	9936101	38
726406	158	870445	72	9027202	105	9200202	107	9279111	26	9936102	38
726407	156	875409	180	9031616	160	9200611	134	9279112	26	9944141	154
726408	150	910021	110	9040021	136	9200612	134	9291701	24	9944142	154
727001	156	910022	110	9040022	136	9202131	84	9291702	24	9944602	138
727002	156	910041	110	9040061	136	9202261	84	9291703	24	9944603	138
740401	100	910042	110	9045418	160	9202262	84	9292211	98	9971451	35
740402	100	8038401	162	9045514	160	9203111	164	9297191	30	9971452	35
740403	100	8038801	162	9083011	155	9203112	164	9470581	80	9971455	176
740404	100	8039001	162	9083021	155	9203113	164	9470582	80	71371101	62
741661	104	8058001	160	9104021	40	9207167	31	9521001	140	71371102	62
741662	104	8090801	160	9104022	40	9207168	31	9521002	140	71615601	128
742071	181	8401030	96	9104835	84	9207615	20	9522101	121		
747406	90	8403622	151	9120621	16	9207616	20	9522102	121		
752250	150	8403624	151	9120622	16	9207912	26	9529712	120		
752462	134	8403626	151	9120711	18	9209211	60	9529713	120		
752470	96	9002601	160	9121911	168	9209212	60	9529720	120		
767801	180	9010001	178	9121912	168	9220021	134	9529721	120		
773221	112	9010002	178	9131201	36	9220022	134	9739351	76		
773222	112	9010003	178	9131202	36	9223400	168	9739352	76		
773223	112	9010004	178	9160081	116	9223401	168	9756500	10		

A	I	R
50 ACQUA	178.180 INSIDE	24 RAMO
86 AGILE	72 ISIDORA	172 RAY
20.21 AGOSTO		56 ROCK
189 ALP		
48 APOLLO		
	J	
	172 JAM	
	154 JOYA	
		S
		100 SOHO
		68 SORREN
		176 STAKE
		62 STICK
		30.31 SUITE
		8 SURF
	K	
	116.118.119 KEEN	
	150.156.157.158.159 KRYPTON	
		T
		140 TOMMY
		120 TUNE
		44 TWIN
	L	
	126 LIDO	
	114.115 LIMBIO	
	148 LIV	
	54 LOCK	
	66 LOEVE	
	16 LOVETO	
	116 LUPO	
	151 LUTON	
		V
		84 VEIRO
		96 VITORIA
		42 VOLVER
	M	
	22 MAX	
	172 MAYA	
	102 MILE	184.186.188 WALL WASHER
	84 MILEY	
	178 MINI	
		Z
		92 ZARI
		122.123 ZENITH
		130 ZERINO
		70 ZEST
	N	
	40 NED	
	108.110 NERO	
	112 NODUS	
	181 NORTH	
	58 NOTEN	
	107 NUS	
		O
	138 OLIVER	
		P
	52 PARK	
	160 PASSAGIO	
	10 PAX	
	88 PIER	
	36 POSEN	
	152.153 PULSAR	
	60 PYRO	
		G
	78 GRANTE	
	88 GRAVITY	