

---

**THINK  
DIFFERENT**



ACCESSORIES | 021




MINIMAL | 022



CONO | 020



Q-CONNECTOR | 028



TRACK | 062



SOREL | 092



GIA | 132



TINY | 086



NAP | 042




MAGGY | 074

# THINGS TO LOOK FOR



PASSAGGIO | 100



OSLO | 128




PUZZLE | 016




LOOP | 035




CARE | 049



JAZZ | 040



ZELMIRA | 114



AZUL | 109



GOZZANO | 122



CARE | 049



DIDO | 054



UMA | 058



ODIN | 109




TOBIA | 156



SANDRO | 172


PREVIEW




PREVIEW



PREVIEW



PREVIEW





# INDEX

<b>1.0 MAGNETIC - DECORATIVE LIGHTING SYSTEMS</b>	011
1.1 ACCESSORIES	019
<b>2.0 MAGNETIC PROFILE SOLUTIONS</b>	025
2.1 PROFILE ACCESSORIES	037
2.2 CARE SYSTEM	047
<b>3.0 LINEAR LIGHTING PROFILES</b>	051
3.1 CARE SYSTEM	057
<b>4.0 SPOT LIGHTS &amp; TRACK LIGHTING SYSTEMS</b>	061
<b>5.0 DOWNLIGHT RECESSED SPOTS</b>	071
5.1 STEP LIGHTS	099
<b>6.0 DOWNLIGHT RECESSED SPOTS GU10</b>	105
6.1 MOUNTED SOLUTIONS	121
<b>7.0 DECORATIVE LIGHTS</b>	131
<b>8.0 GYPSUM &amp; CONCRETE SPOT LIGHTS</b>	153
8.1 WALL & CEILING LIGHTS	167
8.2 STEP LIGHTS	187
<b>9.0 LED PANEL</b>	195




MAGNETIC

---


DECORATIVE LIGHTING SYSTEMS






**GRAMMI 01 | 9180563**

Magnetic Tubular Structure  
Sandy Black Aluminium IP20  
Driver 60 Watt AC85-265V  
L: 150 H: 120 cm




**GRAMMI**

NOVA LUCE introduces the GRAMMI series.  
A set of tubular structures compatible with a wide range of magnetic accessories designed to assemble in different shapes.  
Adjusting to the needs of every space, GRAMMI'S inovating designing reduces large inventories while preserving NOVA LUCE'S dream of delivering high quality fashionable and luxurious products.



**GRAMMI 02 | 9180564**

Magnetic Tubular Structure  
Sandy Black Aluminium IP20  
Driver 100 Watt AC85-265V  
L: 200 H: 120 cm










**PUZZLE | 9180566**

Magnetic Cube Structure  
Sandy Black Aluminium IP20  
Driver 100 Watt AC85-265V  
L: 150 W: 150 H: 10 cm



**PUZZLE | 9180565**

Magnetic Cube Structure  
Sandy Black Aluminium IP20  
Driver 60 Watt AC85-265V  
L: 80 W: 80 H: 10 cm




**ZED | 9180567**

Sandy Black Aluminium  
Tube  
D: 2 H: 70 cm




**ZED | 9180568**

Sandy Black Aluminium  
Tube  
D: 2 H: 30 cm




**PLUS | 9180569**

Connector Tube  
Sandy Black Aluminium  
D: 2 H: 30 cm







# HOW IT WORKS

step 1




CHOOSE YOUR MAGNETIC ACCESSORIES

step 2



IF YOU WANT TO COMBINE MORE THAN ONE 'PUZZLES' USE 'PLUS 9180569'

step 3



TO ADJUST THE HEIGHT CHOOSE 'ZED' 9180567 OR 9180568




MAGNETIC DECORATIVE

ACCESSORIES







**VERSUS** | **9090292**  
10W · 3000K



**VERSUS** | **9090293**  
10W · 3000K




**BAR** | **9090281**  
5W · 3000K



**TAG** | **9180562**  
5W · 3000K



**BAR** | **9180561**  
5W · 3000K



**TAG** | **9090282**  
5W · 3000K



**CONO** | **9090285**  
5W · 3000K




**CONO** | **9090286**  
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090292	Satin Brass Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>80	120°	3000K	IP20	X	X	X	III
	9090293	Sandy Black Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>80	120°	3000K	IP20	X	X	X	III
	9090281	Satin Brass Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>80	120°	3000K	IP20	X	X	X	III
	9180561	Sandy Black Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>80	120°	3000K	IP20	X	X	X	III
	9180562	Sandy Black Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>80	35°	3000K	IP20	✓	X	X	III
	9090282	Satin Brass Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>80	35°	3000K	IP20	✓	X	X	III
	9090285	Sandy Black Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>80	120°	3000K	IP20	X	X	X	III
	9090286	Satin Brass Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>80	120°	3000K	IP20	X	X	X	III




**COCKTAIL** | **9090290**  
5W · 3000K




**COCKTAIL** | **9090291**  
5W · 3000K




**GRU** | **9090289**  
8W · 3000K



**GRU** | **9090288**  
8W · 3000K



**MINIMAL** | **9090284**  
5W · 3000K



**MINIMAL** | **9090283**  
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090290	Satin Brass Alum+Glass	5W	DC24V	Philips	L: 12 H: 14	220Lm	>80	120°	3000K	IP20	X	X	X	III
	9090291	Sandy Black Alum+Glass	5W	DC24V	Philips	L: 12 H: 14	220Lm	>80	120°	3000K	IP20	X	X	X	III
	9090289	Sandy Black Alum+Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>80	360°	3000K	IP20	X	X	X	III
	9090288	Satin Brass Alum+Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>80	360°	3000K	IP20	X	X	X	III
	9090284	Satin Brass Alum+Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>80	360°	3000K	IP20	X	X	X	III
	9090283	Sandy Black Alum+Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>80	360°	3000K	IP20	X	X	X	III







MAGNETIC PROFILE  
SOLUTIONS



SURFACE MOUNTED


PENDANT SUSPENDED

BUILT IN RECESSED



**BUXTON 01 | 8252001**

Surface or Pendant  
Magnetic Profile IP20  
Sandy Black Aluminium  
Max Power 300 Watt  
L: 100 W: 3.9 H: 7.5 cm




**BUXTON 02 | 8252002**

Recess Magnetic Profile IP20  
Sandy Black Aluminium  
L: 100 W: 6.8 H: 7.5 cm  
Max Power 300 Watt  
Cut Out: 4.4 cm



# BUXTON


With Buxton 01 and Buxton 02, Nova Luce takes it to the next level in the profile section. These profiles offer the highest degree of freedom and flexibility, as all modules have magnetic application. Buxton 01 and Buxton 02 allow for neat, trimless installation, while Buxton 01 could be used for projects where surface mounting is required.



SURFACE Q-CONNECTOR



RECESS Q-CONNECTOR



**V-CONNECTOR | 8252014**



Corner Connector for Surface Magnetic Profile  
Sandy Black Aluminium  
L: 10 W: 3.9 H: 7.5 cm



**Q-CONNECTOR | 8252011**


Corner Connector for Surface Magnetic Profile  
Sandy Black Aluminium  
L: 30 W: 30 H: 7.5 cm

SURFACE V-CONNECTOR



**Q-CONNECTOR | 8252013**

Corner Connector for Recess Magnetic Profile  
Sandy Black Aluminium  
L: 30 W: 30 H: 7.5 cm  
Cut Out: 4.4 cm



**V-CONNECTOR | 8252012**

Corner Connector for Recess Magnetic Profile  
Sandy Black Aluminium  
L: 10 W: 10 H: 7.5 cm  
Cut Out: 4.4 cm




RECESS V-CONNECTOR






### POWER CONNECTOR | 9252015

Integrated Pre Wired Power Feed  
Used on Magnetic Profile to Connect  
the Final Profile with Driver



### CONNECTOR | 8252015

Mechanical-Electrical Connector  
Used on Recess and Surface Magnetic  
Profile to Connect two Profiles Together  
L: 10 W: 4.2 H: 2.1 cm



### KIT | 8252017

Set of accessories for  
Pendant Application of  
Magnetic Rail



### SCREW | 8252016

Screws for Ceiling Application




### CAP | 8252003

End Cap for Profile Cover  
Sandy Black Aluminium Frame  
L: 3.9 W: 0.2 H: 7.5 cm




### HOW IT WORKS


#### USE THE CONNECTOR




#### TWO APPLICABLE WAYS




OR




#### PLACE END CAPS



#### CONNECT THE COMPATIBLE DRIVER




OR



### COVER | 9012677

Cutable Cover for Magnetic Rail  
Sandy Black PVC Cover  
L: 1 meter



### BOX | 8252037

Fedder Power Included Driver  
120 Watt Philips DC24V  
Used for Surface and Hanging  
Driver Placement  
L: 40 H: 7.5 cm



### BOX | 8252038

Fedder Box Excluded Driver  
Used for Surface and Hanging  
Driver Placement  
L: 40 H: 7.5 cm



### DRIVER | 8252019

Philips Driver  
60 Watt  
Input: 220-240V AC  
Output: 24V DC 2.5A



### DRIVER | 8252020

Philips Driver  
120 Watt  
Input 220-240V AC  
Output: 24V DC



### DRIVER | 8252021

Philips Driver  
180 Watt  
Input 220-240V AC  
Output: 24V DC



### SMART DEVICE | 9011103

Connect it between driver and  
power of magnetic profile.  
Using a dimmable driver and this  
device you can have a dimmable  
result on SMD products.









**TREE 01 | 8252035**

Corner 2V - 120°  
Connector between two tracks  
Sandy Black Aluminium  
L: 18 W: 14 H: 7.5 cm



**TREE 02 | 8252036**

Corner 3V - 120°  
Connector between three tracks  
Sandy Black Aluminium  
L: 18 W: 21 H: 7.5 cm



**HOW TO**


ORDER 27PCS OF BUXTON 01  
8252001

ORDER 12PCS OF TREE 01  
8252035

ORDER 10PCS OF TREE 02  
8252036

ORDER KIT  
8252017


step 1



step 2



step 3



step 4

**OR**

ORDER SCREW  
8252016



ORDER 54PCS OF CONNECTOR  
8252015

ADD COMPATIBLE  
DRIVER


YOU ARE READY!

step 5



step 6

step 7



**ALSO YOU CAN DO**

ORDER 6PCS OF BUXTON 01  
8252001


ORDER 6PCS OF TREE 01  
8252035

ORDER KIT  
8252017

ADD COMPATIBLE  
DRIVER

YOU ARE READY!

step 1



step 2





step 3

**OR**

ORDER SCREW  
8252016

step 4

step 5



**BUXTON 03 | 8252034**

Surface or Pendant  
Magnetic Track  
Sandy Black Aluminium  
L: 47.4 W: 6.2 H: 7.5 cm

**HOW TO**


ORDER 6PCS OF BUXTON 03  
8252034

ORDER KIT  
8252017

ADD COMPATIBLE  
DRIVER

YOU ARE READY!

step 1



step 2




**OR**


ORDER SCREW  
8252016

step 3




step 4






**LOOP 01 | 8925201**

Circular Magnetic Profile  
Sandy Black Aluminium IP20  
Driver 75 Watt AC 220-240 V  
D: 90 H: 120 cm



**LOOP 02 | 8925202**

Circular Magnetic Profile  
Sandy Black Aluminium IP20  
Driver 120 Watt AC 220-240 V  
D: 120 H: 120 cm




**SIGN | 8925204**

Rectangular Magnetic Profile  
Sandy Black Aluminium IP20  
Driver 100 Watt AC 220-240 V  
L: 120 W: 30 H: 120 cm






PROFILE  
ACCESSORIES









**RIETI** | **8254414** · 15W · 4000K  
**8254418** · 15W · 3000K




**RIETI** | **8254415** · 22W · 4000K  
**8254419** · 22W · 3000K




**RIETI** | **8254413** · 22W · 4000K  
**8254417** · 22W · 3000K




**RIETI** | **8254412** · 15W · 4000K  
**8254416** · 15W · 3000K




**ESTE** | **8252007** · 22W · 4000K  
**8252028** · 22W · 3000K




**ESTE** | **8252006** · 15W · 4000K  
**8252027** · 15W · 3000K



**ESTE** | **8252004** · 15W · 4000K  
**8252025** · 15W · 3000K



**ESTE** | **8252005** · 22W · 4000K  
**8252026** · 22W · 3000K



**INSTALLATION & REMOVAL OF PRODUCTS**

All Fittings Can Be Magnetically Installed Ensuring Tool-Free Mounting And Repositioning




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (mm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254414	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	954Lm	>80	120°	4000K	IP20	✓	X	X	III
	8254418	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	860Lm	>80	120°	3000K	IP20	✓	X	X	III
	8254415	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1400Lm	>80	120°	4000K	IP20	✓	X	X	III
	8254419	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1230Lm	>80	120°	3000K	IP20	✓	X	X	III
	8254412	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	580Lm	>80	120°	4000K	IP20	X	X	X	III
	8254416	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	528Lm	>80	120°	3000K	IP20	X	X	X	III
	8254413	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	943Lm	>80	120°	4000K	IP20	X	X	X	III
	8254417	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	850Lm	>80	120°	3000K	IP20	X	X	X	III
	8252004	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	1080Lm	>80	35°	4000K	IP20	X	X	X	III
	8252025	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	900Lm	>80	35°	3000K	IP20	X	X	X	III
	8252006	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1428Lm	>80	35°	4000K	IP20	✓	X	X	III
	8252027	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1220Lm	>80	35°	3000K	IP20	✓	X	X	III
	8252005	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1746Lm	>80	35°	4000K	IP20	X	X	X	III
	8252026	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1480Lm	>80	35°	3000K	IP20	X	X	X	III
	8252007	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	2100Lm	>80	35°	4000K	IP20	✓	X	X	III
	8252028	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1880Lm	>80	35°	3000K	IP20	✓	X	X	III










Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252010	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	800Lm	>80	45°	4000K	IP20	X	X	X	III
	8252030	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>80	45°	3000K	IP20	X	X	X	III
	9025201	Sandy Black Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>80	120°	3000K	IP20	X	X	X	III
	9012676	Satin Brass Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>80	45°	3000K	IP20	X	X	X	III
	9012662	Satin Brass Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>80	120°	3000K	IP20	X	X	X	III
	8252031	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:42	720Lm	>80	30°	3000K	IP20	✓	X	X	III
	8252032	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:62	720Lm	>80	30°	3000K	IP20	✓	X	X	III








Photo	Code	Material	Watt	Volt	LED Chip	Dimension <sup>(cm)</sup>	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252008	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	400Lm	>90	30°	4000K	IP20	✓	X	X	III
	8252039	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	340Lm	>90	30°	3000K	IP20	✓	X	X	III
	8252009	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>80	30°	4000K	IP20	✓	X	X	III
	8252029	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>80	30°	3000K	IP20	✓	X	X	III
	8252018	Sandy Black Aluminium	30W	DC24V	Cree	D:8.5 H1:20 H2:27	2250Lm	>80	60°	4000K	IP20	✓	X	X	III
	9052030	Sandy Black Aluminium	30W	DC24V	Cree	D:8.5 H1:20 H2:27	1920Lm	>80	60°	3000K	IP20	✓	X	X	III
	8925220	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>90	35°	3000K	IP20	✓	X	X	III
	9012673	Satin Brass & Black Alum.	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>80	35°	3000K	IP20	✓	X	X	III
	8925216	Sandy Black Aluminium	8W	DC24V	Cree	D:3 H1:12 H2:19	580Lm	>80	10°	3000K	IP20	✓	X	X	III





**KARMA** | **9012671**  
5W · 3000K



**OIKO** | **9012674**  
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9012671	Sandy Black Alum. & Glass	5W	DC24V	Philips	D:10 H:15	380Lm	>80	360°	3000K	IP20	X	X	X	III
	9012674	Sandy Black Alum. & Glass	5W	DC24V	Philips	D:12 H:16.5	220Lm	>80	120°	3000K	IP20	X	X	X	III


Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9012675	Satin Brass Aluminium & Glass	5W	DC24V	Philips	D:12 H:80	220Lm	>80	120°	3000K	IP20	X	X	X	III
	9012672	Sandy Black Alum. & Glass	5W	DC24V	Philips	D:10 H:80	380Lm	>80	360°	3000K	IP20	X	X	X	III



**OIKO** | **9012675**  
5W · 3000K



**KARMA** | **9012672**  
5W · 3000K






## MAGNETIC SYSTEM

---


CARE SYSTEM  
DIMMABLE - ADJUSTABLE CCT  
3000-6500K








**CARE | 8252023**  
40W · 3000K-6500K



Adjustable



**CARE | 8252022**  
30W · 3000K-6500K



**WIRELESS | 8252024**  
**SWITH PANEL** | L: 8.5 W: 1.4 H: 8.5 cm



# CARE SYSTEM

Care is an intelligent and innovative control solution for a large number of magnetic and linear devices. The smart lighting technology has been designed with energy efficiency and comfort in mind that will transform every space into something special. The Brightness and colour temperature can be adjusted through the Care System or through the smartphone Application **LIGHT MIND**.

## LIGHT MIND WIRELESS APPLICATION

The **LIGHT MIND** application is a wireless dimming solution enabling you to control and manage a selection of luminaires from your mobile devices (IOS or Android). **LIGHT MIND** enabled luminaires can also be controlled from a regular wall switch without the app.



For more information and technical info please go to [www.novaluce.gr](http://www.novaluce.gr)

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252022	Sandy Black Aluminium	30W	DC24V	Philips	L:40.7 W:3.4 H:11.6	300-3000Lm	>80	120°	3000-6500K	IP20	✓	✗	✓	III
	8252023	Sandy Black Aluminium	40W	DC24V	Philips	L:98.9 W:4.4 H:8.75	400-4000Lm	>80	120°	3000-6500K	IP20	✗	✗	✓	III

LINEAR LIGHTING  
PROFILES








SURFACE MOUNTED

PENDANT SUSPENDED

BUILT IN RECESSED



SURFACE



**GENT** | **8254401** · 40W · 4000K  
**8254429** · 40W · 3000K



**GENT** | **8254402** · 40W · 4000K  
**8254430** · 40W · 3000K

RECESS



**GENT** | **8254403** · 40W · 4000K  
**8254431** · 40W · 3000K




**GENT** | **8254404** · 20W · 4000K  
**8254432** · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254401	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	120°	4000K	IP20	X	√	X	I
	8254429	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	120°	3000K	IP20	X	√	X	I
	8254402	Sandy Black Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	120°	4000K	IP20	X	√	X	I
	8254430	Sandy Black Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	120°	3000K	IP20	X	√	X	I
	8254403	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:7 H:7	2740Lm	>80	120°	4000K	IP20	X	√	X	I
	8254431	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:7 H:7	2480Lm	>80	120°	3000K	IP20	X	√	X	I
	8254404	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:7 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	8254432	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:7 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I







**SURFACE**



**RECESS**



**DIDO** | **9054443** · 20W · 4000K  
**9054441** · 20W · 3000K



**DIDO** | **8254443** · 20W · 4000K  
**8254441** · 20W · 3000K




**DIDO** | **8254444** · 20W · 4000K  
**8254442** · 20W · 3000K



**GAGA** | **8254408** · 20W · 4000K  
**8254433** · 20W · 3000K



**GAGA** | **8254409** · 20W · 4000K  
**8254434** · 20W · 3000K



**KIT** | **8254410 W**  
White Set of  
Accessories for  
Pendant Application



**KIT** | **8254410 B**  
Black Set of  
Accessories for  
Pendant Application



**END CAP** | **8254407**  
White Aluminium  
Frame



**END CAP** | **8254406**  
Black Aluminium  
Frame



**ZERINO** | **8254425**  
Connector for  
Two Linear Profiles



**SCREW** | **8254411**  
Screws for Ceiling  
Application



**END CAP** | **8254445**  
White Aluminium Frame



**GAGA** | **8254420** · 20W · 3000K




**GAGA** | **8254421** · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9054443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	✓	X	I
	9054441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	✓	X	I
	8254443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	✓	X	I
	8254441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	✓	X	I
	8254444	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	✓	X	I
	8254442	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	✓	X	I

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254408	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	✓	X	I
	8254433	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	✓	X	I
	8254409	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	✓	X	I
	8254434	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	✓	X	I
	8254420	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	3000K	IP20	X	✓	X	I
	8254421	Sandy Black Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	✓	X	I





## LINEAR LIGHTING PROFILES

---

CARE SYSTEM  
DIMMABLE - ADJUSTABLE CCT  
3000-6500K

SURFACE



**UMA | 8254424**  
40W · 3000-6500K

RECESS




**UMA | 8254423**  
40W · 3000-6500K



**UMA | 8254428** · Corner H  
20W · 3000-6500K



**UMA | 8254422**  
20W · 3000-6500K



**KIT | 8254410 W**  
White Set of accessories for Pendant Application



**UMA | 8254427** · Corner V  
20W · 3000-6500K



**END CAP | 8254407**  
White Aluminium Frame



**SCREW | 8254411**  
Screws for Ceiling Application



**UMA | 8254426** · Corner H  
20W · 3000-6500K



**ZERINO | 8254425**  
Connector for two linear




**WIRELESS SWITCH PANEL | 8252024**  
L: 8.5 W: 1.4 H: 8.5 cm



**END CAP | 8254445**  
White Aluminium Frame

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254424	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	120°	3000-6500K	IP20	X	√	√	I
	8254423	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	120°	3000-6500K	IP20	X	√	√	I
	8254428	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:3.8 H:7	250-2020Lm	>80	120°	3000-6500K	IP20	X	√	√	I
	8254422	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-1360Lm	>80	120°	3000-6500K	IP20	X	√	√	I
	8254427	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	120°	3000-6500K	IP20	X	√	√	I
	8254426	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	120°	3000-6500K	IP20	X	√	√	I






SPOT LIGHTS &  
TRACK LIGHTING  
SYSTEMS



Adjustable

**TRACK | 9712001**

Sandy White Aluminium  
Black Honeycomb  
GU10 / MR16 1x50 Watt  
Adaptor 3 wires 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 13 cm




Compatible with 9712103 rail



Adjustable

**TRACK | 9712002**

Sandy Black Aluminium  
Black Honeycomb  
GU10 / MR16 1x50 Watt  
Adaptor 3 wires 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 13 cm




Compatible with 9712104 rail



Adjustable

**TRACK | 8008801**

Sandy White Aluminium  
Black Honeycomb  
GU10 / MR16 1x50 Watt  
Adaptor 2 wires 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 19.5 cm




Compatible with 9052016 rail



Adjustable

**TRACK | 8008802**

Sandy Black Aluminium  
Black Honeycomb  
GU10 / MR16 1x50 Watt  
Adaptor 2 wires 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 19.5 cm




Compatible with 9052017 rail



Adjustable

**TRACK | 9701101**

Sandy White Aluminium  
Black Honeycomb  
GU10 Adaptor 3 wires  
1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 20.1 cm




Compatible with 9712103 rail



Adjustable

**TRACK | 9701102**

Sandy Black Aluminium  
Black Honeycomb  
GU10 Adaptor 3 wires  
1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 20.1 cm




Compatible with 9712104 rail










**TRACK** | 7770407 · 12W · 3000K  
8770411 · 12W · 4000K



**TRACK** | 7770408 · 12W · 3000K  
8770412 · 12W · 4000K



**TRACK** | 7770409 · 30W · 3000K  
8770414 · 30W · 4000K



**TRACK** | 7770410 · 30W · 3000K  
8770413 · 30W · 4000K




Photo	Code	Material	Watt	Driver	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adaptor	Driver Included
	7770407	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	7770408	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	8770411	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1060Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓
	8770412	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1060Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓
	7770409	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	7770410	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	8770414	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓
	8770413	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓



COMPATIBLE WITH TRACK RAIL | 7770631 (BLACK) OR 7770630 (WHITE)








**TRACK | 7770405 · 30W · 3000K**




Adjustable



**TRACK | 7770406 · 30W · 3000K**



**TRACK | 7770401 · 30W · 3000K**



**TRACK | 7770402 · 30W · 3000K**




Photo	Code	Material	Watt	Driver	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adaptor	Driver Included
	7770405	White Aluminium	30W	Philips	Philips	D:8.1 H:21	3100Lm	>80	24° / 36° / 60°	3000K	IP20	3 Wires	✓
	7770406	Black Aluminium	30W	Philips	Philips	D:8.1 H:21	3100Lm	>80	24° / 36° / 60°	3000K	IP20	3 Wires	✓
	7770401	White Aluminium	30W	Philips	Philips	D:8 H:20	3100Lm	>80	24° / 36° / 60°	3000K	IP20	4 Wires	✓
	7770402	Black Aluminium	30W	Philips	Philips	D:8 H:20	3100Lm	>80	24° / 36° / 60°	3000K	IP20	4 Wires	✓

COMPATIBLE WITH TRACK RAIL | 7770417 (BLACK) OR 7770411 (WHITE)



**LED**



**GU10**



**7770417**

Black Aluminium  
3 wires track rail socket  
end cap are included  
2 meters



**7770631**

Black Aluminium  
4 wires track rail socket  
end cap are included  
2 meters



**7770411**

White Aluminium  
3 wires track rail socket  
end cap are included  
2 meters



**7770630**

White Aluminium  
4 wires track rail socket  
end cap are included  
2 meters



**9712104**

Black Aluminium  
3 wires track rail socket  
end cap are included  
2 meters



**9052017**

Black Aluminium  
2 wires track rail socket  
end cap are included  
2 meters



**9712103**

White Aluminium  
3 wires track rail socket  
end cap are included  
2 meters



**9052016**

White Aluminium  
2 wires track rail socket  
end cap are included  
2 meters

Photo	Code	Material	Photo	Code	Material
	<b>7770413</b>	White Aluminium 3 wires connector L		<b>7770414</b>	Black Aluminium 3 wires connector L
	<b>7770416</b>	White Aluminium 3 wires connector		<b>7770412</b>	Black Aluminium 3 wires connector
	<b>7770633</b>	White Aluminium 4 wires connector L		<b>7770634</b>	Black Aluminium 4 wires connector L
	<b>7770632</b>	White Aluminium 4 wires connector		<b>7770635</b>	Black Aluminium 4 wires connector

Photo	Code	Material	Photo	Code	Material
	<b>9712106</b>	White Aluminium 3 wires connector L		<b>9712105</b>	Black Aluminium 3 wires connector L
	<b>9712108</b>	White Aluminium 3 wires connector		<b>9712107</b>	Black Aluminium 3 wires connector






DOWNLIGHT  
RECESSED SPOTS




**TRIMLESS  
IP54**




**BELLUNO | 8014909**




**BELLUNO | 8014910**



**BELLUNO | 8019109**



**BELLUNO | 8019310**



**8016905** · 10W · 3000K  
**8016906** · 10W · 4000K



**DRIVER | 9020171**


Driver 10W Philips  
Input: 100-240V AC 50/60Hz  
Output: 12-24VDC 500mA  
Not Dimmable

Photo	Code	Material	Trimless	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included			
	8014909	White Aluminium	✓	X	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X			
	8014910	Black Aluminium	✓	X	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X			
	8019109	White Aluminium	✓	X	D:8.2 H:9.4	10.5	36°	X	IP54	X	X			
	8019310	Black Aluminium	✓	X	D:8.2 H:9.4	10.5	36°	X	IP54	X	X			
MUST HAVE ACCESSORY														
Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171




**TRIMLESS  
ADJUSTABLE**



**MAGGY | 9700302**

White Aluminium Trimless  
D: 7.8 H: 3.4 cm



**MAGGY | 9700303**

White Aluminium Trimless  
L: 7.7 H: 3.4 cm



**9700304**

White Round Inner  
Frame D: 7.7 cm



**9700306**

Black Round Inner  
Frame D: 7.7 cm




**9700305**

White Square Inner Frame  
L: 7.5 x W: 7.5 cm




**9700307**

Black Square Inner Frame  
L: 7.5 x W: 7.5 cm



Rotating

READY!



Rotating



**MAGGY | 9700301**

Gray LED Cree 3000K  
15 Watt 1125Lm  
Beam Angle 36°



**DRIVER | 9715100**

Driver 15 Watt Philips  
Input: 220-240V AC  
Output: 42V  
350mA Not Dimmable



**HONEYCOMB | 9713003**

**MAKE IT IDEAL FOR YOU**

**LED COB**


CHOOSE YOUR TRIMLESS SPOT

CHOOSE FRAME: BLACK OR WHITE?

COB

ORDER DRIVER

READY!





**IP54**



**8016905** | · 10W · 3000K  
**8016906** | · 10W · 4000K





**DRIVER | 9020171**

Driver 10W Philips  
 Input: 100-240V AC 50/60Hz  
 Output: 12-24VDC 500mA  
 Not Dimmable





**LAZIO | 8044909**



Rotating




**LAZIO | 8044809**



Rotating




**LAZIO | 8000502**



Rotating




**LAZIO | 8000503**



Rotating



**SELENE | 9071021**



**SELENE | 9071022**




Photo	Code	Material	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8044809	White Aluminium	✓	X	L:16.8 W:9 H:8.9	16 x 8.2	36°	X	IP54	✓	X
	8000502	White Aluminium	✓	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X
	8000503	Black Aluminium	✓	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X
	8044909	White Aluminium	✓	X	D:9 H:8.6	8.2	36°	X	IP54	✓	X
	9071021	White Aluminium	✓	X	L:8.2 H:7.9	7.6	36°	X	IP54	X	X
	9071022	Black Aluminium	✓	X	L:8.2 H:7.9	7.6	36°	X	IP54	X	X

**MUST HAVE ACCESSORY**



Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171**

IP44



**LAZIO | 8018509**



**DRIVER | 9020171**


Driver 10W Philips  
Input: 100-240V AC 50/60Hz  
Output: 12-24VDC 500mA  
Not Dimmable




**8016905** · 10W · 3000K  
**8016906** · 10W · 4000K




**OLBIA | 8016909**



**OLBIA | 8001402**



**OLBIA | 8059409**



**OLBIA | 8033409**




Photo	Code	Material	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8018509	White & Black Aluminium	✓	X	D:9 H:7.3	7.8	36°	X	IP44	✓	X
	8016909	White & Black Aluminium	✓	X	L:9 H:8.9	8x8	36°	X	IP44	X	X
	8001402	White Aluminium	✓	X	L:9 H:8.9	8x8	36°	X	IP44	X	X
	8059409	White & Black Aluminium	✓	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X
	8033409	White Aluminium	✓	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X


MUST HAVE ACCESSORY														
Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171







**GEMA | 62007**




**GEMA | 62006**




**GEMA | 620010**




**GEMA | 62008**



**GIO | 620014**



**GIO | 620015**



Included Philips Driver



**DRIVER | 64001**

Driver 20 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-40 VDC  
0.5A Not Dimmable



**DRIVER | 94001**

Driver 15 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-42 VDC  
0.35A Not Dimmable




**DRIVER | 6001**

Driver 10 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-40 VDC  
0.25A Not Dimmable



**MEA | 7770441**



Rotating

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	62007	Black Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	62006	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	620010	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	62008	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	620014	White Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>90	38°	3000K	IP20	X	X
	620015	Black Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>90	38°	3000K	IP20	X	X


**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 6001**

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	7770441	White Aluminium	15W	250	1275Lm	Luminus	D:9.6 H:8.5	8.5	>90	24°	3000K	IP20	✓	Philips


**WATERPROOF  
IP65**



**BLADE | 9232116**



**BLADE | 9232115**



**BLADE | 9232119**




**BLADE | 9232120**



Rotating

**BLADE | 9232117**



Rotating

**BLADE | 9232118**



**DRIVER  
INCLUDED**

Driver 12 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-37 VDC  
300mA 0.35A  
Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232116	White Aluminium	12W	37V	300	720Lm	Cree	D:7.8 H:7.2	7.2	>90	38°	3000K	IP65	X	Philips
	9232115	Black Aluminium	12W	37V	300	720Lm	Cree	D:7.8 H:7.2	7.2	>90	38°	3000K	IP65	X	Philips
	9232119	White Aluminium	12W	37V	300	720Lm	Cree	D:8.5 H:5.4	8	>90	38°	3000K	IP65	X	Philips
	9232120	Black Aluminium	12W	37V	300	720Lm	Cree	D:8.5 H:5.4	8	>90	38°	3000K	IP65	X	Philips
	9232117	White Aluminium	12W	37V	300	720Lm	Cree	D:9 H:4.7	8	>90	38°	3000K	IP65	✓	Philips
	9232118	Black Aluminium	12W	37V	300	720Lm	Cree	D:9 H:4.7	8	>90	38°	3000K	IP65	✓	Philips





**MINI TRIMLESS**



**BREE | 9232111**



**BREE | 9232112**



**BREE | 9232113**



**BREE | 9232114**



**SELENE | 9052014**



**SELENE | 9052015**



**DRIVER | 9020172**

Driver 6 Watt Eaglerise  
Input: 220-240V AC 50/60Hz  
Output: 6-12 VDC  
500mA Not Dimmable

**DRIVER INCLUDED**

Driver 7 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-37 VDC  
200mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232111	White Aluminium	7W	37V	200	490Lm	Cree	D:5.6 H:7.5	5	>90	24°	3000K	IP32	X	Philips
	9232113	White Aluminium	7W	37V	200	490Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	24°	3000K	IP32	X	Philips
	9232112	Black Aluminium	7W	37V	200	490Lm	Cree	D:5.6 H:7.5	5	>90	24°	3000K	IP32	X	Philips
	9232114	Black Aluminium	7W	37V	200	490Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	24°	3000K	IP32	X	Philips

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9052014	White Aluminium	5W	10V	500	350Lm	Luminus	D:4 H:6.4	3.5	25°/ 40°	3000K	IP20	X	X
	9052015	White Aluminium	5W	10V	500	350Lm	Trimless Luminus	D:3.4 H:6.1	4.5	25°/ 40°	3000K	IP20	X	X

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020172**



**IP44**



**TINY | 9080201**



**TINY | 9080202**



**DRIVER | 9020170**

Driver 4W ACTEC MINI  
 Input: 100-240V AC 50/60Hz  
 Output: 3-12 VDC  
 350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9080201	White Aluminium	1W	3V	350	Philips	70Lm	D:2.5 H:2.2	1.8	16°	3000K	IP44	X	X
	9080202	Black Aluminium	1W	3V	350	Philips	70Lm	D:2.5 H:2.2	1.8	16°	3000K	IP44	X	X

**CABLE LENGTH 1.80m**

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170**





**IP44**



**TINY | 8035601**



**TINY | 9017812**



**TINY | 8125801**



**DRIVER | 9020170**

Driver 4W ACTEC MINI  
 Input: 100-240V AC 50/60Hz  
 Output: 3-12 VDC  
 350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	8125801	White Aluminium	1W	3V	350	Cree	70Lm	D:2.2 H:2.9	1.6	30°	3000K	IP44	X	X
	8035601	White Aluminium	1W	3V	350	Cree	70Lm	D:1.6 H:2	1.2	50°	3000K	IP44	X	X
	9017812	Black Aluminium	1W	3V	350	Philips	70Lm	D:1.6 H:2	1.2	50°	3000K	IP44	X	X


**CABLE LENGTH 1.80m**

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170**






**RIC | 642601**



**UGO | 642402**



**RIC | 642602**



**UGO | 642401**



**SIRI | 643601**

**DRIVER INCLUDED**

**64001**

Driver 20 Watt Philips  
 Input: 220-240V AC 50/60Hz  
 Output: 32-40 VDC  
 0.5A Not Dimmable



Photo	Code	Material	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	Kelvin	Protection	Adjustable	Driver Included	
	642601	White Aluminium	✓	X	D:12.3 H:8.5	11	X	IP20	X	X	
	642402	Gold Aluminium	✓	X	L:12.5 W:12.5 H:8.5	11.5x11.5	X	IP20	X	X	
	642602	Gold Aluminium	✓	X	D:12.3 H:8.5	11	X	IP20	X	X	
	642401	White Aluminium	✓	X	L:12.5 W:12.5 H:8.5	11.5x11.5	X	IP20	X	X	
MUST HAVE ACCESSORY											
Photo	Code	Material	Watt	LED Chip	Dimension (cm)	Lumen	CRI	Kelvin	Protection	Dimmable	Driver Included
	643601	Silver Aluminium	20W	Cree	D:9 H:9.2	1650Lm	>90	3000K	IP20	X	Philips




**SOREL | 9050920**



**SOREL | 9065023**



**SOREL | 9065121**



**DRIVER | 9020174**

Driver 7 Watt  
Input: 100-240V AC 50/60Hz  
Output: 12-24 VDC  
350mA Not Dimmable



**DRIVER | 9020173**

Driver 13 Watt  
Input: 100-240V AC 50/60Hz  
Output: 25-42 VDC  
350mA Not Dimmable



**DRIVER | 9020176**


Driver 25 Watt  
Input: 220-240V AC 50/60Hz  
Output: 30-60 VDC  
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9050920	White & Black Alum.	7W	20V	350	490Lm	Citizen	L:6.2 W:6.2 H:6.8	5.8x5.7	15° - 45°	3000K	IP20	X	X
	9065023	White & Black Alum.	14W	20V	350	910Lm	Citizen	L:11.5 W:6.2 H:6.8	10.8x5.7	15° - 45°	3000K	IP20	X	X
	9065121	White & Black Alum.	21W	20V	350	1330Lm	Citizen	L:15.7 W:6.2 H:6.8	15x5.7	15° - 45°	3000K	IP20	X	X


**DON'T FORGET TO CONNECT THEM WITH DRIVER** | code: **9020174** - **9020173** - **9020176**  
7 Watt    13 Watt    25 Watt



**SWAN | 9232126**



**SWAN | 9232127**



**DRIVER INCLUDED**

Driver 10 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-40 VDC  
0.25A Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232126	White & Black Alum.	5x2W	16V	500	700Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	3000K	IP32	X	Philips
	9232127	Black Aluminium	5x2W	16V	500	700Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	3000K	IP32	X	Philips









Rotating

**DESERT | 9075916**




Rotating

**DESERT | 9072815**



Rotating

**DESERT | 9076117**



**DRIVER | 9020170**

Driver 4W ACTEC MINI  
Input: 100-240V AC 50/60Hz  
Output: 3-12 VDC  
350mA Not Dimmable

**DRIVER | 9020175**

Driver 12W ACTEC  
Input: 100-240V AC 50/60Hz  
Output: 2-34 VDC  
350mA Not Dimmable


Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9075916	White Aluminium	3W	9V	350	210Lm	Citizen	L:6.2 W:6.2 H:6.6	5.8x5.7	35°/50°	3000K	IP20	✓	X
	9072815	White Aluminium	3W	9V	350	210Lm	Citizen	D:5.2 H:6.8	4.4	35°/50°	3000K	IP20	✓	X
	9076117	White Aluminium	9W	9V	350	630Lm	Citizen	L:15.7 W:6.2 H:6.6	15x5.7	35°/50°	3000K	IP20	✓	X

**DON'T FORGET TO CONNECT THEM WITH DRIVER** | code: **9020170 - 9020175**  
4 Watt      12 Watt




Rotating

**ZETAN | 9232122**



Rotating

**ZETAN | 9232121**




**DRIVER INCLUDED**


Driver 9 Watt Eaglerise  
Input: 220-240V AC 50/60Hz  
Output: 6-12 VDC  
700mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232122	Black Aluminium	9W	220V	700	720Lm	Cree	D:2.6 H:25	7.5 cm	30°	3000K	IP20	✓	Eaglerise
	9232121	White Aluminium	9W	220V	700	720Lm	Cree	D:2.6 H:25	7.5 cm	30°	3000K	IP20	✓	Eaglerise






**JUNO | 7770443 · 15W**



**JUNO | 7770442 · 15W**




**DRIVER INCLUDED**


Driver 15 Watt Philips  
 Input: 220-240V AC 50/60Hz  
 Output: 30-42 VDC  
 0.35A Not Dimmable



**JUNO | 7770444 · 30W**



**JUNO | 7770445 · 30W**




**DRIVER INCLUDED**

Driver 30 Watt Philips  
 Input: 220-240V AC 50/60Hz  
 Output: 30-42 VDC  
 0.7A Not Dimmable

Photo	Code	Material	Watt	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	7770443	Black Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	24°/36°/60°	3000K	IP20	✓	Philips
	7770442	White Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	24°/36°/60°	3000K	IP20	✓	Philips
	7770445	Black Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	24°/36°/60°	3000K	IP20	✓	Philips
	7770444	White Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	24°/36°/60°	3000K	IP20	✓	Philips






STEP LIGHTS







IP54



**PASSAGGIO | 8090801**



**PASSAGGIO | 9045418**



**PASSAGGIO | 9045514**



**PASSAGGIO | 8058001**



**PASSAGGIO | 9031616**



**DRIVER | 9020170**

Driver 4W ACTEC MINI IP65  
Input: 100-240V AC 50/60Hz  
Output: 3-12 VDC  
350mA Not Dimmable



**NATAL | 6800202**



**NATAL | 6800201**



**DRIVER INCLUDED**

Driver 3 Watt Waiberlon  
Input: 220-240V AC 50/60Hz  
Output: 3-6 VDC  
700mA Not Dimmable



Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	Driver Included
	8090801	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	3000K	IP54	X	X
	9045418	Black Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	3000K	IP54	X	X
	9045514	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	3000K	IP54	X	X
	8058001	White Aluminium	1W	3V	350	Philips	70Lm	L:3.9 W:2.1 H:3.9	3.2	3000K	IP54	X	X
	9031616	White Aluminium	1W	3V	350	Philips	70Lm	D:3.9 W:2.1 H:3.9	3.2	3000K	IP54	X	X

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

Photo	Code	Material	Watt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	Driver Included
	6800202	White Aluminium	2.5W	Cree	68Lm	D:4.4 H:4.3	4	3000K	IP20	X	✓
	6800201	Silver Aluminium	2.5W	Cree	68Lm	D:4.4 H:4.3	4	3000K	IP20	X	✓





**BANG | 8038801**



**BANG | 8039001**



**BANG | 8038401**



**DRIVER | 9020170**

Driver 4W ACTEC MINI IP65  
Input: 100-240V AC 50/60Hz  
Output: 3-12 VDC  
350mA Not Dimmable



**BANG | 9019212**



**BANG | 9019213**



Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	8038801	White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	24°/36°	3000K	IP67	X	X
	8039001	White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	24°/36°	3000K	IP67	X	X
	8038401	White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	20°/40°	3000K	IP67	X	X
	9019212	Steel Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	20°/40°	3000K	IP67	X	X
	9019213	Steel Aluminium	1W	3V	350	Philips	60	L:3.7 W:3.7 H:5.3	3.2	24°/36°	3000K	IP67	X	X

**CABLE LENGTH 1.80m**

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170**



**WATERPROOF  
IP67**





DOWNLIGHT RECESSED  
SPOTS GU10





**TRIMLESS  
CU10 ADJUSTABLE**




**BRAD | 9000351**

Sandy White Aluminium Trimless  
GU10 1x50 Watt 60Hz  
220-240 Volt Adjustable  
IP20 Bulb Excluded  
L: 8.8 H: 6.2 cm  
Cut Out: 8.5x8.5 cm




**BRAD | 9000352**

Sandy Black Aluminium Trimless  
GU10 1x50 Watt 60Hz  
220-240 Volt Adjustable  
IP20 Bulb Excluded  
L: 8.8 H: 6.2 cm  
Cut Out: 8.5x8.5 cm




**BRAD | 9017391**

Sandy White Aluminium Trimless  
GU10 1x50 Watt 60Hz  
220-240 Volt Adjustable  
IP20 Bulb Excluded  
D: 8.1 H: 5.1 cm  
Cut Out: 10 cm




**BRAD | 9017392**

Sandy Black Aluminium Trimless  
GU10 1x50 Watt 60Hz  
220-240 Volt Adjustable  
IP20 Bulb Excluded  
D: 8.1 H: 5.1 cm  
Cut Out: 10 cm




**BRAD | 9017402**

Sandy White Aluminium Trimless  
GU10 1x50 Watt  
220-240 Volt 60Hz  
IP20 Bulb Excluded  
D: 6.5 H: 4.6 cm  
Cut Out: 7.2 cm



**BRAD | 9017403**

Sandy Black Aluminium Trimless  
GU10 1x50 Watt  
220-240 Volt 60Hz  
IP20 Bulb Excluded  
D: 6.5 H: 4.6 cm  
Cut Out: 7.2 cm







IP44




**AZUL | 642603**

Sandy White Aluminium  
GU10 1x35 Watt  
D: 12.3 H: 9.5 cm  
Cut Out: 11 cm



**AZUL | 642604**

Gold Aluminium  
GU10 1x35 Watt  
D: 12.3 H: 9.5 cm  
Cut Out: 11 cm



**LUZ | 642404**

Gold Aluminium  
GU10 1x35 Watt  
L: 12.5 W: 12.5 H: 9.5 cm  
Cut Out: 11.5 x 11.5 cm



**LUZ | 642403**

Sandy White Aluminium  
GU10 1x35 Watt  
L: 12.5 W: 12.5 H: 9.5 cm  
Cut Out: 11.5 x 11.5 cm




**MIO | 7206201**

Sandy White Aluminium  
GU10 1x35 Watt IP44  
D: 9.5 H: 7 cm  
Cut Out: 9 cm



CHOOSE THE FRAME:  
BLACK OR WHITE?




**MIO | 7206202**

Sandy Black Aluminium  
GU10 1x35 Watt IP44  
D: 9.5 H: 7 cm  
Cut Out: 9 cm



CHOOSE THE FRAME:  
BLACK OR WHITE?



**NUIN | 6206801**

Sandy White Aluminium  
GU10 1x35 Watt IP44  
L: 9 W: 9 H: 4.8 cm  
Cut Out 8.5 x 8.5 cm



ALSO YOU CAN CHOOSE  
YOUR COLOUR



**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**



+

**CHOOSE YOUR SPOT**



READY

**MAKE IT IDEAL FOR YOU**


**LAMP OR COB?**



+



READY



**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**

GU10 COB



Rotating

**CADMO | 9701001**

Sandy White Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 9 X H: 4.5 cm  
Cut Out: 8.2 cm



Rotating

**CADMO | 9701002**

Sandy Black Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 9 X H: 4.5 cm  
Cut Out: 8.2 cm



**CADMO | 9707701**

LED 12 Watt 3000K  
Philips COB 250mA  
1140 Lm 3000K  
CRI 90 Beam Angle 36°  
D: 5.2 H: 5.4 cm




**DRIVER | 9712102**

Driver 12 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-40 VDC  
0.3A Not Dimmable



**HONEYCOMB | 9712101**

Black Plastic  
Honeycomb  
D: 5 cm



**HAP | 9174151**

Sandy White Aluminium  
GU10 1x50 Watt 12 Volt  
IP20 Bulb Excluded  
D: 6.8 H: 5 cm  
Cut Out: 6.2 cm



**HAP | 9174152**

Sandy Black Aluminium  
GU10 1x50 Watt 12 Volt  
IP20 Bulb Excluded  
D: 6.8 H: 5 cm  
Cut Out: 6.2 cm



**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**

GU10 COB



step 1

+

CHOOSE THE FRAME:  
BLACK OR WHITE?



step 2

READY






**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**




CHOOSE THE FRAME:  
BLACK OR WHITE?




**ENZO | 834801**

Sandy White Aluminium  
Consists of 3 Parts  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 9.2 H: 2.5 cm  
Cut Out: 7.8 cm



**ENZO | 834802**

Sandy Black Aluminium  
Consists of 3 Parts  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 9.2 H: 2.5 cm  
Cut Out: 7.8 cm




**Easy Replacement of Light Source!**




**ENZO | 7201401**

Sandy White Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 10.5 H: 3.3 cm Cut Out: 10 cm



**ENZO | 7201402**


Sandy Black Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 10.5 H: 3.3 cm Cut Out: 10 cm



Rotating

**ENZO | 7201201**

Sandy White Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded Adjustable  
D: 11 H: 4.1 cm  
Cut Out: 10.5 cm




**LAMP OR COB?**



Rotating

**ENZO | 7201202**

Sandy Black Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded Adjustable  
D: 11 H: 4.1 cm  
Cut Out: 10.5 cm









**ZELMIRA | 62202**

Sandy White Aluminium  
GU10 1x50 Watt  
Bulb Excluded  
D: 8.2 H: 2.2 cm  
Cut Out: 7.5 cm




**ZELMIRA | 62221**

Sandy Black Aluminium  
GU10 1x50 Watt  
Bulb Excluded  
D: 8.2 H: 2.2 cm  
Cut Out: 7.5 cm




**OTTAVIA | 62018**

Sandy White Aluminium  
GU10 1x50 Watt  
Bulb Excluded  
D: 8.2 H: 2.2 cm  
Cut Out: 7.5 cm



**OTTAVIA | 62019**

Sandy Black Aluminium  
GU10 1x50 Watt  
Bulb Excluded  
D: 8.2 H: 2.2 cm  
Cut Out: 7.5 cm



**MEA | 732001**

MR 16 LED 16 Watt 3000K  
Cree COB 250mA  
1450 Lm 3000K  
CRI 90 Beam Angle 38°  
D: 5 H: 9.6 cm



**MEA | 62000**

MR 16 LED 9 Watt 3000K  
Cree COB 250mA  
800Lm 3000K  
CRI 90 Beam Angle 38°  
D: 5 H: 6 cm



**DRIVER | 6001**

Driver 10 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-40 VDC  
0.25A Not Dimmable



**DRIVER | 94001**

Driver 15 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-42 VDC  
0.35A Not Dimmable




**DRIVER | 64001**

Driver 20 Watt Philips  
Input: 220-240V AC 50/60Hz  
Output: 32-40 VDC  
0.5A Not Dimmable



**RAENA | 62200**

Sandy White Aluminium  
GU10 1x50 Watt  
Bulb Excluded  
D: 8.2 H: 2.2 cm  
Cut Out: 7.5 cm



**RAENA | 62201**

Sandy Black Aluminium  
GU10 1x50 Watt  
Bulb Excluded  
D: 8.2 H: 2.2 cm  
Cut Out: 7.5 cm



**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**




**CHOOSE THE FRAME: BLACK OR WHITE?**




**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**



OR

**LED COB**



**CID | 6209**  
Sandy White Aluminium  
D: 10 H: 15 cm



**CID | 6208**  
Sandy Black Aluminium  
D: 10 H: 15 cm



**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**




OR

**LED COB**



**CID | 6204**  
Sandy White Aluminium  
L: 10.5 H: 15 cm



**CID | 6205**  
Sandy Black Aluminium  
L: 10.5 H: 15 cm



**CID | 6202**  
Sandy White Aluminium  
Frame  
W: 10 L: 10 cm



**CID | 6203**  
Sandy Black Aluminium  
Frame  
W: 10 L: 10 cm





**CID | 6206**  
 Sandy White Aluminium  
 Frame for Recess  
 L: 19.5 W: 10 cm  
 Cut Out: 9.3 x 18.3 cm



**CID | 6207**  
 Sandy Black Aluminium  
 Frame for Recess  
 L: 19.5 W: 10 cm  
 Cut Out: 9.3 x 18.3 cm

**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**




OR

**LED COB**






**MAKE IT IDEAL FOR YOU**

**LAMP OR COB?**




OR


**LED COB**



**CID | 62017**  
 Sandy Black Aluminium  
 L: 20 W: 10.5 H: 15 cm




**CID | 62016**  
 Sandy White Aluminium  
 L: 20 W: 10.5 H: 15 cm



**CID | 6205**  
 Sandy Black Aluminium  
 Frame  
 L: 19.5 W: 10 cm




**CID | 6204**  
 Sandy White Aluminium  
 Frame  
 L: 19.5 W: 10 cm







MOUNTED SOLUTIONS





**GOZZANO | 9174511**

Sandy White Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 Adjustable  
 D: 8 H: 9 cm



Rotating



**GOZZANO | 9174512**

Sandy Black Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 Adjustable  
 D: 8 H: 9 cm



Rotating



**GOZZANO | 820001**

Sandy White Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 Adjustable  
 D: 9.6 H: 12.5 cm



**GOZZANO | 820002**

Sandy Black Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 Adjustable  
 D: 9.6 H: 12.5 cm








**RENDÉ | 820202**

Sandy White Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 9.6 W: 9.6 H: 12.5 cm




Rotating



**RENDÉ | 820203**

Sandy Black Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 9.6 W: 9.6 H: 12.5 cm




Rotating




**RENDÉ | 9175513**

Sandy White Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 8 W: 8 H: 9 cm




**RENDÉ | 9175514**

Sandy Black Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 8 W: 8 H: 9 cm



**RENDÉ | 820603**

Sandy Black Aluminium  
GU10 2x50 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 18 W: 9.6 H: 12.5 cm




Rotating



**RENDÉ | 820602**

Sandy White Aluminium  
GU10 2x50 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 18 W: 9.6 H: 12.5 cm



Rotating







**MARUPE | 834863**

Sandy White Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 D: 6 H: 10 cm



**MARUPE | 834865**


Sandy Black Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 D: 6 H: 10 cm



**RING**

**834868**

White & Silver



**RING**


**834867**

Black & Gold




**MARUPE | 834864**

Sandy White Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 D: 6 H: 20 cm



**MARUPE | 834866**


Sandy Black Aluminium  
 GU10 1x50 Watt 230 Volt  
 IP20 Bulb Excluded  
 D: 6 H: 20 cm







**OSLO | 9184371**



Sandy White Aluminium Outside  
Sandy White Aluminium Inside  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 15 cm




**OSLO | 9184372**



Sandy White Aluminium Outside  
Sandy White Aluminium Inside  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 30 cm




**OSLO | 9184373**



Sandy Black Aluminium Outside  
Gold Aluminium Inside  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 15 cm



**OSLO | 9184374**



Sandy Black Aluminium Outside  
Gold Aluminium Inside  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H: 30 cm





DECORATIVE LIGHTS





**PERO | 9184376**

Sandy Black Aluminium Outside  
Gold Aluminium Inside  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 30 H2: 150 cm




**PERO | 9184375**

Sandy White Aluminium Outside  
White Aluminium Inside  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 30 H2: 150 cm



**GIA | 834870**

Sandy Black Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 30 H2: 170 cm



**GIA | 834869**

Sandy White Aluminium  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 30 H2: 170 cm



**RING**  
**834867**  
Black & Gold



**RING**  
**834868**  
White & Silver







**CONCETTA | 74014602**

Sandy White Aluminium  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 25 H2: 160 cm



**CONCETTA | 74014601**

Sandy Black Aluminium  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 25 H2: 160 cm



**CONCETTA | 74014603**

Sandy Black Aluminium  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 40 H2: 180 cm



**CONCETTA | 74014604**

Sandy White Aluminium  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6 H1: 40 H2: 180 cm







**ULTRATHIN | 9184022**  
 Sandy Black Aluminium  
 LED 3 Watt  
 180Lm 3000K IP20  
 D: 2.5 H: 60 Hz: 150 cm



**ULTRATHIN | 9184021**  
 Sandy White Aluminium  
 LED 3 Watt  
 180Lm 3000K IP20  
 D: 2.5 H: 60 Hz: 150 cm



**ULTRATHIN | 9184024**  
 Sandy Black Aluminium  
 LED 7x3 Watt  
 1680Lm 3000K IP20  
 D: 40 H: 150 cm




**ULTRATHIN | 9184023**  
 Sandy White Aluminium  
 LED 7x3 Watt  
 1680Lm 3000K IP20  
 D: 40 H: 150 cm












**UNIVERSAL | 62004**

Sandy White Aluminium  
 Cree COB 300mA 13 Watt  
 1140Lm 3000K IP20  
 Philips Driver  
 CRI 90 Beam Angle 38°  
 D: 10 H: 10.3 cm




**UNIVERSAL | 72004**

Sandy Black Aluminium  
 Cree COB 300mA 13 Watt  
 1140Lm 3000K IP20  
 Philips Driver  
 CRI 90 Beam Angle 38°  
 D: 10 H: 10.3 cm




**UNIVERSAL | 72002**


Sandy Black Aluminium  
 Cree COB 300mA 13 Watt  
 1140Lm 3000K IP20  
 Philips Driver  
 CRI 90 Beam Angle 38°  
 D: 10 H: 9 cm  
 Cut Out: 9.3 cm



**UNIVERSAL | 62002**


Sandy White Aluminium  
 Cree COB 300mA 13 Watt  
 1140Lm 3000K IP20  
 Philips Driver  
 CRI 90 Beam Angle 38°  
 D: 10 H: 9 cm  
 Cut Out: 9.3 cm







**BERNARDO | 7409002**

Sandy White Aluminium  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
D: 6 H: 11 H<sub>2</sub>: 29 cm



**BERNARDO | 7409001**



Sandy Black Aluminium  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
D: 6 H: 11 H<sub>2</sub>: 29 cm



Rotating & Adjustable

**BERNARDO | 7404601**


Sandy Black Aluminium  
LED COB 13 Watt Cree  
1140Lm 3000K IP20  
CRI 90 Adjustable  
Philips Driver  
D: 5 H: 14 H<sub>2</sub>: 28 cm



Rotating & Adjustable

**BERNARDO | 7404602**


Sandy White Aluminium  
LED COB 13 Watt Cree  
1140Lm 3000K IP20  
CRI 90 Adjustable  
Philips Driver  
D: 5 H: 14 H<sub>2</sub>: 28 cm



Rotating & Adjustable

**MINIAIR | 9720101**


Sandy White Aluminium  
LED COB 10 Watt Cree  
900Lm 3000K IP20  
CRI 90 Adjustable  
Eaglerise Driver  
D: 6.3 H: 17 cm



Rotating & Adjustable

**MINIAIR | 9720102**

Sandy Black Aluminium  
LED COB 10 Watt Cree  
900Lm 3000K IP20  
CRI 90 Adjustable  
Eaglerise Driver  
D: 6.3 H: 17 cm









**ANZIO | 711006**

Sandy White Aluminium  
LED 6 Watt 230 Volt  
390Lm 3000K IP20  
L: 15 W: 3 H:15 cm



**ANZIO | 711008**

Sandy White Aluminium  
LED 6 Watt 230 Volt  
390Lm 3000K IP20  
L: 15 W: 3 H:15 cm




Rotating




**AUSTIN | 9001704**

Sandy White Aluminium  
Adjustable  
LED 6 Watt 230 Volt  
420Lm 3000K IP20  
L: 16 W: 5.2 H: 16 cm




**AUSTIN | 9001707**

Sandy White Aluminium  
LED 6 Watt 230 Volt  
420Lm 3000K IP20  
L: 13 W: 4 H: 13 cm



**AUSTIN | 9001706**



Sandy White Aluminium  
Adjustable  
LED 6 Watt 230 Volt  
420Lm 3000K IP20  
D: 13 W: 4 H: 13 cm



Rotating

**AUSTIN | 9001705**

Sandy White Aluminium  
Adjustable  
LED 6 Watt 230 Volt  
420Lm 3000K IP20  
D: 16 W: 5.2 H: 16 cm




Rotating



Rotating


**ODIN | 910161**


Sandy White Aluminium  
Adjustable  
LED 5 Watt 230 Volt  
247Lm 3000K IP20  
D: 14 W: 7 H: 14 cm



**ODIN | 910162**



Sandy Black Aluminium  
Adjustable  
LED 5 Watt 230 Volt  
247Lm 3000K IP20  
D: 14 W: 7 H: 14 cm






**UMBERTO | 7410401**

Sandy Black Aluminium  
Adjustable  
Switch On/Off  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 15 H: 15 cm




**UMBERTO | 7410402**

Sandy White Aluminium  
Adjustable  
Switch On/Off  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 15 H: 15 cm




**WAN | 9184311**

Sandy White Aluminium  
Adjustable  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 5.6 H: 15 cm





**WAN | 9184312**

Sandy Black Aluminium  
Adjustable  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 5.6 H: 15 cm




**DEXTER | 821601**

Sandy Black Aluminium  
Adjustable  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6.2 H: 15 cm




**DEXTER | 821602**

Sandy White Aluminium  
Adjustable  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 6.2 H: 15 cm









**FLEX | 9701611**

Sandy White Aluminium  
Adjustable Switch On/Off  
LED 3 Watt  
190Lm 3000K IP20  
D: 7 H: 30 cm





**FLEX | 9701613**

Chrome Aluminium  
Adjustable Switch On/Off  
LED 3 Watt  
190Lm 3000K IP20  
D: 7 H: 30 cm




**MADISON | 8128202**

Sandy White Aluminium  
Adjustable Switch On/Off  
LED Samsung 3 Watt  
190Lm 3000K IP20  
L: 32 W: 8 H: 31 cm



**MADISON | 8128201**

Chrome Aluminium  
Adjustable Switch On/Off  
LED Samsung 3 Watt  
190Lm 3000K IP20  
L: 32 W: 8 H: 31 cm






Rotating & Adjustable



**CLIP | 9030201**

Sandy White Aluminium  
LED Philips 3 Watt  
Adjustable Switch On/Off  
190Lm 3000K IP20  
D: 8 W: 3.4 H: 11 cm




Rotating & Adjustable



**CLIP | 9030202**

Sandy Black Aluminium  
LED Philips 3 Watt  
Adjustable Switch On/Off  
190Lm 3000K IP20  
D: 8 W: 3.4 H: 11 cm




Rotating & Adjustable



**CLIP | 9030203**

Satin Brass Aluminium  
LED Philips 3 Watt  
Adjustable Switch On/Off  
190Lm 3000K IP20  
D: 8 W: 3.4 H: 11 cm




Rotating & Adjustable




**LAREDO | 8140521**

Sandy White Aluminium  
LED Samsung 3 Watt  
Adjustable Switch On/Off  
190Lm 3000K IP20  
L: 11 W: 9 H: 11 cm




Rotating & Adjustable



**LAREDO | 8140522**

Chrome Aluminium  
LED Samsung 3 Watt  
Adjustable Switch On/Off  
190Lm 3000K IP20  
L: 11 W: 9 H: 11 cm



A wide-angle photograph of a modern interior space. The room is framed by thick, grey concrete walls and a ceiling. The floor is made of light-colored wood. In the center, there is a white kitchen area with a sink and a white cabinet. To the right, there is a dining area with a glass table and four clear plastic chairs. A person is lying on a concrete ledge in the foreground on the left. The ceiling is white with several recessed spotlights. The overall aesthetic is minimalist and industrial.

GYPSUM & CONCRETE  
SPOT LIGHTS






Adjustable  
Brackets

**new**  
**TOBIA | 9879110**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 8 W: 8 H: 5.2 cm  
Cut Out: 8.5 x 8.5 cm



Adjustable  
Brackets

**TOBIA | 7100481**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 8 W: 8 H: 6 cm  
Cut Out: 8.5 x 8.5 cm



Adjustable  
Brackets

**new**  
**TOBIA | 9879101**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 5.5 cm  
Cut Out: 12.5 x 12.5 cm



Adjustable  
Brackets

**TOBIA | 41825801**



White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 6 cm  
Cut Out: 12.5 x 12.5 cm



Adjustable  
Brackets

**new**  
**TOBIA | 9879102**

White Gypsum & Glass  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 5.5 cm  
Cut Out: 12.5 x 12.5 cm




Adjustable  
Brackets

**TOBIA | 41825802**

White Gypsum & Glass  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 6 cm  
Cut Out: 12.5 x 12.5 cm








Adjustable  
Brackets

**new**

**COSIMO | 9879109**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 8 W: 8 H: 5.2 cm  
Cut Out: 8.5 x 8.5 cm



Adjustable  
Brackets

**COSIMO | 7100461**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 8 W: 8 H: 6 cm  
Cut Out: 8.5 x 8.5 cm




Adjustable  
Brackets

**new**

**TOBIA | 9879113**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 9.5 W: 9.5 H: 5 cm  
Cut Out: 9 x 9 cm



Adjustable  
Brackets

**new**

**TOBIA | 9879112**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 9.5 W: 9.5 H: 5 cm  
Cut Out: 9 x 9 cm



Adjustable  
Brackets

**new**

**TOBIA | 9879111**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 9.2 H: 5.2 cm  
Cut Out: 8.8 cm



Adjustable  
Brackets

**NEIVA | 620017**

White Aluminium & Gypsum  
Adjustable Brackets  
GU10 1x35 Watt  
D: 14 H: 4.1 cm  
Cut Out: 14.3 cm






new

**TOBIA | 9879107**


White Gypsum  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 10 W: 10 H: 2.5 cm  
Cut Out: 10.5 x 10.5 cm



Adjustable Brackets

**TOBIA | 41844401**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 10 W: 10 H: 3 cm  
Cut Out: 10.5 x 10.5 cm




Adjustable Brackets

new

**TOBIA | 9879104**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 4.5 cm  
Cut Out: 12.5 x 12.5 cm



Adjustable Brackets

**TOBIA | 51826201**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 4.5 cm  
Cut Out: 12.5 x 12.5 cm



Adjustable Brackets

**TOBIA | 61853201**

White Gypsum  
Adjustable Brackets  
GU10 2x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 21.4 W: 11.7 H: 6 cm  
Cut Out: 21.7 x 12 cm



**COSIMO | 61844801**

White Gypsum  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 20.5 W: 20.5 H: 6 cm  
Cut Out: 20.7 x 20.7 cm









**new**  
**COSIMO | 9879108**

White Gypsum  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D:10.3 H: 3 cm  
Cut Out: 10.8 cm



**COSIMO | 41844402**


White Gypsum  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D:10 H: 3 cm  
Cut Out: 10.5 cm



Adjustable  
Brackets

**new**  
**COSIMO | 9879103**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 13 H: 4.5 cm  
Cut Out: 13.5 cm



Adjustable  
Brackets

**COSIMO | 41826001**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 13 H: 5 cm  
Cut Out: 13.5 cm



Adjustable  
Brackets

**new**  
**COSIMO | 9879105**


White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 12 H: 4.3 cm  
Cut Out: 12.5 cm





Adjustable  
Brackets

**COSIMO | 51826202**

White Gypsum  
Adjustable Brackets  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 13 H: 4.5 cm  
Cut Out: 13.5 cm







**VITALE | 51850801**

White Gypsum  
Adjustable Brackets  
AR111 1x100 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
L: 21 W: 21 D: 6.7 cm  
Cut Out: 21.5 x 21.5 cm




**VITALE | 51851001**

White Gypsum  
Adjustable Brackets  
AR111 1x100 Watt 230 Volt  
IP20 Bulb Excluded  
Adjustable  
D: 21 W: 21 H: 6.7 cm  
Cut Out: 21.5 x 21.5 cm



**VITALE | 41849601**

White Gypsum  
Adjustable Brackets  
AR111 1x50 Watt 230 Volt  
IP 20 Bulb Excluded  
L: 20 W: 20 H: 8.5 cm  
Cut Out: 20.5 x 20.5 cm




**VITALE | 41849401**

White Gypsum  
Adjustable Brackets  
AR111 1x50 Watt 230 Volt  
IP 20 Bulb Excluded  
L: 20 W: 20 H: 8.5 cm  
Cut Out: 20.5 cm







**GIACOMO | 51855201**



Gypsum & White Metal  
Downlight Adjustable  
GU10 1x35 Watt 230 Volt  
IP 20 Bulb Excluded  
D: 6 L: 15.5 H: 33 cm  
Cut Out: 15.8 x 15.8 cm




**GIACOMO | 51855401**



Gypsum & White Metal  
Downlight Adjustable  
GU10 1x35 Watt 230 Volt  
IP 20 Bulb Excluded  
D: 6 L: 15.5 H: 23 cm  
Cut Out: 15.8 x 15.8 cm




**GIACOMO | 51855402**



Gypsum & Black Metal  
Downlight Adjustable  
GU10 1x35 Watt 230 Volt  
IP 20 Bulb Excluded  
D: 6 L: 15.5 H: 23 cm  
Cut Out: 15.8 x 15.8 cm



**GIACOMO | 51855202**



Gypsum & Black Metal  
Downlight Adjustable  
GU10 1x35 Watt 230 Volt  
IP 20 Bulb Excluded  
D: 6 L: 15.5 H: 33 cm  
Cut Out: 15.8 x 15.8 cm





WALL & CEILING  
LIGHTS







**CADMO | 61625401**


Gray Concrete  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 11.5 W: 11.5 H: 11.5 cm



IP65

**CADMO | 9162021**

Gray Concrete  
LED 1x7 Watt 3000K IP65  
Eaglerise Driver Included  
L: 13 W: 13 H: 13 cm



IP65

**CADMO | 9162141**


Gray Concrete  
LED 1x6 Watt 3000K IP65  
Eaglerise Driver Included  
L: 10.9 W: 9.4 H: 12 cm



IP65

**CADMO | 9162121**


Gray Concrete  
LED 1x7 Watt 3000K IP65  
Eaglerise Driver Included  
L: 10.7 W: 8.4 H: 12 cm



IP65

**CADMO | 9162142**


Gray Concrete  
LED 2x3 Watt 3000K IP65  
Eaglerise Driver Included  
L: 10.9 W: 9.4 H: 16 cm



IP65

**CADMO | 9162122**

Gray Concrete  
LED 2x3 Watt 3000K IP65  
Eaglerise Driver Included  
L: 10.7 W: 8.4 H: 16 cm








IP65

**ZERINO | 9162204**


Gray Concrete  
LED 1x6 Watt 3000K IP65  
Eaglerise Driver Included  
L: 14 W: 14 H: 14 cm



IP65


**ZERINO | 9161989**

Gray Concrete  
LED 1x6 Watt 3000K IP65  
Eaglerise Driver Included  
L: 13 W: 13 H: 8 cm



**ZERINO | 9170202**


Gray Concrete  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 18 W: 10 H: 9 cm



IP65

**ZERINO | 9161947**


Gray Concrete  
LED 1x6 Watt 3000K IP65  
Eaglerise Driver Included  
L: 18 W: 10.4 H: 8.8 cm



IP65

**ZERINO | 9161968**


Gray Concrete  
LED 1x6 Watt 3000K IP65  
Eaglerise Driver Included  
L: 21 W: 10 H: 10 cm



IP65


**ZERINO | 9162164**

Gray Concrete  
LED 1x6 Watt 3000K IP65  
Eaglerise Driver Included  
L: 28 W: 13 H: 14 cm




**SINTRA | 9168241**


Gray Concrete  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 13 H: 15 cm




**SINTRA | 9168242**

Gray Concrete  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 13 W: 13 H: 15 cm






**SANDRO | 61623401**




White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 11.5 W: 11.5 H: 11.5 cm



**new**


**SANDRO | 9879394**



White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12 W: 12 H: 12 cm



**SANDRO | 41637801**



White Gypsum & Glass  
E14 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 32 W: 17 H: 12 cm



**SANDRO | 41667801**



White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 12.5 W: 7 H: 12.5 cm



**SANDRO | 41688001**



White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 15 W: 7 H: 15 cm



**SANDRO | 516276**



White Gypsum  
E14 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 28 H: 14 cm









**SANDRO | 9164923**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 10 W: 12.5 H: 15 cm




**SANDRO | 9879383**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 7.5 H: 10 cm




**SANDRO | 9168544**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 10 W: 12.5 H: 15 cm




**SANDRO | 9879381**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 7.5 W: 10 H: 10 cm




**SANDRO | 9879382**

White Gypsum  
LED 1x6 Watt  
3000K IP20  
L: 7.5 W: 10 H: 10 cm




**SANDRO | 9168303**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 15 W: 13 H: 12.8 cm




**SANDRO | 9166821**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 11.5 W: 10.7 H: 24 cm



**SANDRO | 7200601**


White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 15 W: 13 H: 12.8 cm






**RENATA | 51686001**

White Gypsum  
 G9 1x40 Watt 230 Volt  
 IP20 Bulb Excluded  
 L: 32 W: 14 H: 5.5 cm




**OTELLO | 61702401**

White Gypsum  
 E14 1x40 Watt 230 Volt  
 IP20 Bulb Excluded  
 L: 30 W: 9.5 H: 14 cm



**OTELLO | 7201601**

White Gypsum  
 E27 1x40 Watt 230 Volt  
 IP20 Bulb Excluded  
 L: 30 W: 17 H: 12 cm





**SANDRO | 9168562**

White Gypsum & Glass  
E14 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
D: 11 W: 7 H: 18 cm



**SANDRO | 9164041**

White Gypsum  
E14 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 9.5 W: 9 H: 24.5 cm



**OTELLO | 41688601**

White Gypsum  
GU10 2x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 7 W: 10 H: 25 cm



**OTELLO | 7200401**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 18 W: 10 H: 9 cm



**OTELLO | 51684201**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 8 W: 13 H: 30 cm



**OTELLO | 41688602**

White Gypsum  
GU10 2x35 Watt 230 Volt  
IP20 Bulb Excluded  
D: 7 W: 10 H: 25 cm









**SANDRO | 9162445**

White Gypsum  
G9 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 30 W: 10 H: 7.5 cm




**RENATA | 61642201**

White Gypsum  
E14 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 27.5 W: 9.5 H: 5.5 cm




**OTELLO | 7240202**

White Gypsum & Glass  
E14 2x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 36 W: 9.5 H: 7 cm



**OTELLO | 9166041**


White Gypsum & Glass  
E14 1x40 Watt 230 Volt  
IP20 Bulb Excluded  
L: 22 W: 9.5 H: 7 cm







**BELINA | 41860401**

White Gypsum & Glass  
E27 3x25 Watt 230 Volt  
IP20 Bulb Excluded  
L: 45 W: 45 H: 8 cm



**BELINA | 41860201**

White Gypsum & Glass  
E27 2x25 Watt 230 Volt  
IP20 Bulb Excluded  
L: 25 W: 25 H: 8.5 cm



**BONA | 41880401**

White Gypsum & Glass  
E27 3x25 Watt 230 Volt  
IP20 Bulb Excluded  
D: 51 H: 7 cm



**BONA | 41880201**

White Gypsum & Glass  
E27 2x25 Watt 230 Volt  
IP20 Bulb Excluded  
D: 30 H: 6 cm









**NEVIO | 51852801**

White Gypsum  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
L: 7 W: 7 H: 17 cm




**NEVIO | 4192401**

White Gypsum  
GU10 1x35 Watt 230 Volt  
IP20 Bulb Excluded  
L: 7 W: 7 H: 11 cm



**ORAZIO | 61853202**

White Gypsum  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D1: 16.8 D2: 6.8 H: 13 cm




**ORAZIO | 51854001**

White Gypsum  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 7 H: 17 cm





**ORAZIO | 61853601**

White Gypsum  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
D: 7 H: 11 cm







STEP LIGHTS



**CIROCCO | 5600601**

White Gypsum  
MR11 GU4 1x20 Watt  
230 Volt IP20  
Bulb Excluded  
L: 11 W: 5.5 H: 24.5 cm  
Cut Out: 11.3 x 24.8 cm



**7600601**

White Gypsum  
LED 1 Watt 3000K IP20  
Driver Excluded  
L: 11 W: 5.5 H: 24.5 cm  
Cut Out: 11.3 x 24.8 cm




White Gypsum  
MR11 GU4 1x20 Watt  
L: 8 W: 4.8 H: 17 cm  
Cut Out: 8.3 x 17.3 cm




**CIROCCO | 9600217**

White Gypsum  
LED 1 Watt 3000K IP20  
Driver Excluded  
L: 14.2 W: 4.5 H: 17 cm  
Cut Out: 14.5 x 17.3 cm



**CIROCCO | 6600801**

White Gypsum  
LED 1 Watt 3000K IP20  
Driver Excluded  
L: 14.2 W: 4.5 H: 17 cm  
Cut Out: 14.5 x 17.3 cm



**DRIVER | 9889134**

Driver 2 Watt Waiberlon  
Input: 220-240V AC 50/60Hz  
Output: 3-4 VDC  
500mA Not Dimmable





**EURONA | 9879390**

White Gypsum  
 MR11 GU4 1x20 Watt  
 230 Volt IP20  
 Bulb Excluded  
 L: 10.8 W: 5.3 H: 24.5 cm  
 Cut Out: 11 x 24.7 cm

**BULB EXCL.** **A++-E**



**EURONA | 9879391**

White Gypsum  
 LED 1 Watt 3000K IP20  
 Waiberlon Driver Included  
 L: 10.8 W: 5.3 H: 24.5 cm  
 Cut Out: 11.1 x 24.8 cm

**LED** **A++-A**



**EURONA | 9879388**

White Gypsum  
 MR11 GU4 1x20 Watt  
 230 Volt IP20  
 Bulb Excluded  
 L: 8 W: 4.8 H: 16.5 cm  
 Cut Out: 8.2 x 16.7 cm

**BULB EXCL.** **A++-E**




**EURONA | 9879389**

White Gypsum  
 LED 1 Watt 3000K IP20  
 Waiberlon Driver Included  
 L: 8 W: 4.8 H: 16.5 cm  
 Cut Out: 8.2 x 16.7 cm

**LED** **A++-A**









Adjustable Brackets

**new**

**CIROCCO | 9879392**

White Gypsum  
MR11/GU4 1x20 Watt  
IP20 Bulb Excluded  
L: 10 W: 4.75 H: 10 cm  
Cut Out: 10.3 x 10.3 cm





Adjustable Brackets

**new**

**CIROCCO | 9879106**


White Gypsum  
LED 1 Watt CREE 3000K IP20  
Waiberlon Driver Included  
L: 10 W: 4.75 H: 10 cm  
Cut Out: 10.3 x 10.3 cm



Adjustable Brackets

**CIROCCO | 51886001**


White Gypsum  
MR11/GU4 1x20 Watt  
230 Volt IP20 Bulb Excluded  
L: 10 W: 4.9 H: 10 cm  
Cut Out: 10.3 x 10.3 cm



Adjustable Brackets


**CIROCCO | 61886001**

White Gypsum  
LED 1 Watt CREE 3000K IP20  
L: 10 W: 4.9 H: 10 cm  
Cut Out: 10.3 x 10.3 cm



**DRIVER | 9889134**



Driver 2 Watt Waiberlon  
Input: 220-240V AC 50/60Hz  
Output: 3-4 VDC  
500mA Not Dimmable



Adjustable Brackets

**CIROCCO | 9188626**


White Gypsum  
LED 1 Watt CREE 3000K IP20  
L: 12 W: 5.5 H: 18 cm  
Cut Out: 12.3 x 18.3 cm



Adjustable Brackets

**CIROCCO | 9602615**

White Gypsum  
GU10 1x50 Watt 230 Volt  
IP20 Bulb Excluded  
L: 21 W: 7.8 H: 25 cm  
Cut Out: 21.3 x 25.3 cm






LED PANEL







**PANEL | 90630003** · 6W · 3000K




**PANEL | 61840002** · 18W · 4000K



**PANEL | 61840001** · 18W · 4000K  
**61840003** · 18W · 6500K



**PANEL | 61840004** · 18W · 6500K



**LED SAMSUNG CHIP**


Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	90630003	White Aluminium & Acrylic	6W	220-240	Samsung	430Lm	D:12 H:2.5	12.3x12.3	3000K	IP20	X	>80	✓
	61840001	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	D:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	✓
	61840003	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	D:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	✓
	61840002	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	✓
	61840004	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	✓









**SURFACE** | 90630001 · 6W · 3000K




**SURFACE** | 61830002 · 18W · 3000K  
81840002 · 18W · 4000K




**SURFACE** | 61830001 · 18W · 3000K  
81840001 · 18W · 4000K



**SURFACE** | 62430001 · 24W · 3000K  
82440001 · 24W · 4000K



**SURFACE** | 62430002 · 24W · 3000K  
82440002 · 24W · 4000K




**LED SAMSUNG CHIP**

Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension <sub>(cm)</sub>	Kelvin	Protection	Adj.	CRI	Driver Included
	90630001	White Aluminium & Acrylic	6W	220-240V	Samsung	430Lm	D:12 H:3	3000K	IP20	X	>80	✓
	61830001	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	D:22.7 H:3.5	3000K	IP20	X	>80	✓
	81840001	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	D:22.7 H:3.5	4000K	IP20	X	>80	✓
	62430001	White Aluminium & Acrylic	24W	220-240V	Samsung	1740Lm	D:30 H:3.8	3000K	IP20	X	>80	✓
	82440001	White Aluminium & Acrylic	24W	220-240V	Samsung	1850Lm	D:30 H:3.8	4000K	IP20	X	>80	✓
	61830002	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	L:22.7 W:22.7 H:3.5	3000K	IP20	X	>80	✓
	81840002	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	4000K	IP20	X	>80	✓
	62430002	White Aluminium & Acrylic	24W	220-240V	Samsung	1740Lm	L:30 W:30 H:3.8	3000K	IP20	X	>80	✓
	82440002	White Aluminium & Acrylic	24W	220-240V	Samsung	1850Lm	L:30 W:30 H:3.8	4000K	IP20	X	>80	✓



# LOOK WHAT THE CAT DRAGGED IN.



## EELI BUTTONS

**A++-E** The luminaire is compatible with bulbs of all energy classes.

**A++-A** Included highly efficient LED boards (cannot be replaced by the end consumer)

## LIGHT COLOUR

**NEUTRAL WHITE** Neutral White    **WARM WHITE** Warm White    **COOL WHITE** Cool White

## FUNCTIONS & COMFORT

**Dimmable**    **Not Dimmable**    **Cut out**

## DRIVER & BULBS

**DRIVER INCL.** Driver Included    **BULB EXCL.** Bulb Excluded    **BULB INCL.** Bulb Included    **LED**

**Lamp E14**    **Lamp E27**    **Lamp G9**    **Lamp GU10**

## IP PROTECTION

**IP20** Protection rating IP20    **IP32** Protection rating IP32    **IP44** Protection rating IP44

**IP54** Protection rating IP54    **IP65** Protection rating IP65    **IP67** Protection rating IP67

## SWITCHES & SENSORES

**ON/OFF** This luminaire can be switched on and off by touching the specially designed

- A**
- 144 ANZIO
- 144 AUSTIN
- 109 AZUL
- B**
- 102 BANG
- 20 BAR
- 182 BELINA
- 72 BELLUNO
- 142 BERNARDO
- 82 BLADE
- 182 BONA
- 30 BOX
- 106 BRAD
- 138 BRANDO
- 84 BREE
- 26.33 BUXTON 01.02.03
- C**
- 110.168 CADMO
- 30 CAP
- 49 CARE
- 116.118.119 CID
- 188.192.193 CIROCCO
- 150 CLIP
- 22 COCKTAIL
- 134 CONCETTA
- 30 CONNECTOR
- 20 CONO
- 156.158.160 COSIMO
- 30 COVER
- D**
- 94 DESERT
- 146 DEXTER
- 54 DIDO
- E**
- 54.58 END CAP
- 112 ENZO
- 38 ESTE
- 190 EURONA
- F**
- 148 FLEX
- G**
- 55 GAGA
- 80 GEMA
- 52 GENT
- 132 GIA
- 164 GIACOMO
- 80 GIO
- 122 GOZZANO
- 12 GRAMMI 01-02
- 22 GRU

- H**
- 111 HAP
- 74.110 HONEYCOMB
- J**
- 40 JAZZ
- 96 JUNO
- K**
- 44.45 KARMA
- 30.54 KIT
- L**
- 150 LAREDO
- 76.78 LAZIO
- 34 LOOP 01.02
- 109 LUZ
- M**
- 148 MADISON
- 74 MAGGY
- 126 MARUPE
- 80.115 MEA
- 142 MINIAIR
- 22 MINIMAL
- 108 MIO
- N**
- 42 NAP
- 101 NATAL
- 156 NEIVA
- 184 NEVIO
- 108 NUIN
- O**
- 145 ODIN
- 44.45 OIKO
- 78 OLBIA
- 184 ORAZIO
- 128 OSLO
- 176.178.180 OTELLO
- 114 OTTAVIA
- P**
- 196 PANEL
- 100 PASSAGGIO
- 132 PERO
- 14 PLUS
- 30 POWER CONNECTOR
- 14 PUZZLE
- Q**
- 28.29 Q-CONNECTOR

- R**
- 114 RAENA
- 176.180 RENATA
- 124 RENDE
- 90 RIC
- 38 RIETI
- S**
- 172-180 SANDRO
- 30.54 SCREW
- 76.85 SELENE
- 34 SIGN
- 171 SINTRA
- 90 SIRI
- 30 SMART DEVICE
- 92 SOREL
- 198 SURFACE
- 92 SWAN
- T**
- 20 TAG
- 40 TEK
- 86.88 TINY
- 154.156.158 TOBIA
- 62.64.66 TRACK
- 33 TREE 01.02
- U**
- 90 UGO
- 136 ULTRATHIN
- 58 UMA
- 146 UMBERTO
- 140.141 UNIVERSAL
- V**
- 28.29 V-CONNECTOR
- 20 VERSUS
- 162 VITALE
- W**
- 146 WAN
- 49 WIRELESS SWITCH
- Z**
- 14 ZED
- 114 ZELMIRA
- 54 ZERINO
- 170 ZERINO
- 95 ZETAN

code	page	code	page	code	page	code	page	code	page	code	page
6001	080	642603	109	7404601	142	8014910	072	8252021	030	8254427	058
6001	115	642604	109	7404602	142	8016905	072	8252022	049	8254428	058
6202	116	643601	090	7409001	142	8016906	072	8252023	049	8254429	052
6203	116	711006	144	7409002	142	8016909	078	8252024	049	8254430	052
6204	118	711008	144	7409601	138	8018509	078	8252025	038	8254431	052
6205	118	732001	115	7409602	138	8019109	072	8252026	038	8254432	052
6206	119	820001	122	7409603	138	8019310	072	8252027	038	8254433	055
6207	119	820002	122	7409604	138	8033409	078	8252028	038	8254434	055
6208	116	820202	124	7410401	146	8035601	088	8252029	042	8254441	054
6209	116	820203	124	7410402	146	8038401	102	8252030	040	8254442	054
62000	115	820602	124	7600601	188	8038801	102	8252031	040	8254443	054
62002	140	820603	124	7770401	066	8039001	102	8252032	040	8254444	054
62004	141	821601	146	7770402	066	8044809	076	8252034	033	8254445	058
62006	080	821602	146	7770405	066	8044909	076	8252035	033	8770411	064
62007	080	834801	112	7770406	066	8058001	100	8252036	033	8770412	064
62008	080	834802	112	7770407	064	8059409	078	8252037	030	8770413	064
62014	116	834863	126	7770408	064	8090801	100	8252038	030	8770414	064
62015	116	834864	126	7770409	064	8125801	088	8252039	042	8925201	034
62016	118	834865	126	7770410	064	8128201	148	8254401	052	8925202	034
62017	118	834866	126	7770411	068	8128202	148	8254402	052	8925204	034
62018	114	834869	132	7770412	068	8140521	150	8254403	052	8925216	042
62019	114	834870	132	7770413	068	8140522	150	8254404	052	8925220	042
62200	114	910161	145	7770414	068	8252001	026	8254406	054	9000351	106
62201	114	910162	145	7770416	068	8252002	026	8254407	054	9000352	106
62202	114	4192401	184	7770417	068	8252003	030	8254408	055	9001704	144
62221	114	5600601	188	7770441	080	8252004	038	8254409	055	9001705	144
64001	080	6206801	108	7770442	096	8252005	038	8254411	054	9001706	144
64001	115	6600801	188	7770443	096	8252006	038	8254412	038	9001707	144
72002	140	6800201	101	7770444	096	8252007	038	8254413	038	9011103	030
72004	141	6800202	101	7770445	096	8252008	042	8254414	038	9012662	040
94001	080	7100461	156	7770630	068	8252009	042	8254415	038	9012671	045
516276	172	7100481	154	7770631	068	8252010	040	8254416	038	9012672	044
620010	080	7200401	178	7770632	068	8252011	028	8254417	038	9012673	042
620014	080	7200601	175	7770633	068	8252012	029	8254418	038	9012674	045
620015	080	7201201	112	7770634	068	8252013	029	8254419	038	9012675	044
620017	156	7201202	112	7770635	068	8252014	028	8254420	055	9012676	040
642401	090	7201401	112	8000502	076	8252015	030	8254421	055	9012677	030
642402	090	7201402	112	8000503	076	8252016	030	8254422	058	9017391	106
642403	109	7201601	176	8001402	078	8252017	030	8254423	058	9017392	106
642404	109	7206201	108	8008801	062	8252018	042	8254424	058	9017402	106
642601	090	7206202	108	8008802	062	8252019	030	8254425	054	9017403	106
642602	090	7240202	180	8014909	072	8252020	030	8254426	058	9017812	088




code	page	code	page	code	page	code	page	code	page	code	page
9019212	102	9090291	022	9184024	136	9712002	062	41826001	160	74014603	134
9019213	102	9090292	020	9184311	146	9712101	110	41844401	158	74014604	134
9020170	086	9090293	020	9184312	146	9712103	069	41844402	160	81840001	198
9020171	072	9161947	170	9184371	128	9712104	069	41849401	162	81840002	198
9020172	085	9161968	170	9184372	128	9712105	069	41849601	162	82440001	198
9020173	092	9161989	170	9184373	128	9712106	069	41860201	182	82440002	198
9020174	092	9162021	168	9184374	128	9712107	069	41860401	182	8254410 B	054
9020175	094	9162121	168	9184375	132	9712108	069	41880201	182	8254410 W	054
9020176	092	9162122	168	9184376	132	9712102	110	41880401	182		
9025201	040	9162141	168	9188626	193	9713003	074	51684201	178		
9030201	150	9162142	168	9232111	084	9715100	074	51686001	176		
9030202	150	9162164	170	9232112	084	9720101	142	51826201	158		
9030203	150	9162204	170	9232113	084	9720102	142	51826202	160		
9031616	100	9164041	178	9232114	084	9879101	154	51850801	162		
9045418	100	9164923	174	9232115	082	9879102	154	51851001	162		
9045514	100	9162445	179	9232116	082	9879103	160	51852801	184		
9050920	092	9166041	180	9232117	082	9879104	158	51854001	184		
9052014	085	9166821	175	9232118	082	9879105	160	51855201	164		
9052015	085	9168241	171	9232119	082	9879106	192	51855202	164		
9052016	069	9168242	171	9232120	082	9879107	158	51855401	164		
9052017	069	9168303	175	9232121	095	9879108	160	51855402	164		
9052030	042	9168544	174	9232122	095	9879109	156	51886001	192		
9054441	054	9168562	178	9232126	092	9879110	154	61623401	172		
9054443	054	9170202	170	9232127	092	9879111	156	61625401	168		
9065023	092	9174151	111	9252015	030	9879112	156	61642201	180		
9065121	092	9174152	111	9600217	188	9879113	156	61702401	176		
9071021	076	9174511	122	9602615	193	9879381	174	61830001	198		
9071022	076	9174512	122	9700301	074	9879382	174	61830002	198		
9072815	094	9175513	124	9700302	074	9879383	174	61840001	196		
9075916	094	9175514	124	9700303	074	9879388	190	61840002	196		
9076117	094	9180561	020	9700304	074	9879389	190	61840003	196		
9080201	086	9180562	020	9700305	074	9879390	190	61840004	196		
9080202	086	9180563	012	9700306	074	9879391	190	61844801	158		
9090281	020	9180564	012	9700307	074	9879392	192	61853201	158		
9090282	020	9180565	014	9701001	110	9879394	172	61853202	184		
9090283	022	9180566	014	9701002	110	41637801	172	61853601	184		
9090284	022	9180567	014	9701101	062	41667801	172	61886001	192		
9090285	020	9180568	014	9701102	062	41688001	172	62430001	198		
9090286	020	9180569	014	9701611	148	41688601	178	62430002	198		
9090288	022	9184021	136	9701613	148	41688602	178	66018101	188		
9090289	022	9184022	136	9707701	110	41825801	154	74014601	134		
9090290	022	9184023	136	9712001	062	41825802	154	74014602	134		


# PHOTOMETRICS

# TECHNICAL INFO

LUMINOUS INTENSITY DISTRIBUTION



LUMINOUS INTENSITY DISTRIBUTION



GU10  
TRIMLESS

1. The installation must be done in strict accordance with the instruction.
2. Please don't install the lighting in easily damaged, deformed, unsteady ceiling.
3. Please make sure you have cut off the power supply before install, changing or clearing the lamp.
4. Please make sure there is no component loose.

